

[FASCO pneumatic stapler]

Fastening tools

Fasco Pneumatic Stapler F1B

Our pneumatic staplers FASCO F1B are comfortable, light weight and manoeuvrable. These small staplers with long lasting components are suitable for fasteners with leg lengths from 4 to 25 mm.

Advantages:

- long and narrow nose design
- excellent job visibility
- rubber comfort grip
- non-slip handling and reduction of vibrations and fatigue
- one hand latch - fast reloading and reduced downtime
- reversible bumper: high durability
- rear exhaust with muffler
- bottom loading magazine: protects internal parts

Applications - works great for:

- bedding
- displays, card displays
- insulation
- tagging
- cabinets
- furniture
- strapping to wood
- upholstery

Available versions

- Pneumatic stapler Fasco F1B (standard version)
- Pneumatic stapler Fasco F1B Aut (with patented release mechanism)
- Pneumatic stapler Fasco F1B LN (with long nose)
- Pneumatic stapler Fasco F1B Aut LN (with long nose and release mechanism)

Available models


- F1B-80: pneumatic stapler FASCO F1B - Fastener 80
- F1B-80AUT: pneumatic stapler FASCO F1B - Fastener 80
- F1B-80LN: pneumatic stapler FASCO F1B long nose - Fastener 80
- F1B-80AUTLM: pneumatic stapler FASCO F1B double magazine - Fastener 80

- F1B-7C: pneumatic stapler FASCO F1B - Fastener 7C
- F1B-7CAUT: pneumatic stapler FASCO F1B - Fastener 7C
- F1B-7CLN: pneumatic stapler FASCO F1B long nose - Fastener 7C
- F1B-7CAUTLM: pneumatic stapler FASCO F1B double magazine - Fastener 7C

- F1B-50: pneumatic stapler FASCO F1B - Fastener 50
- F1B-50AUT: pneumatic stapler FASCO F1B - Fastener 50
- F1B-50AUTLM: pneumatic stapler FASCO F1B double magazine - Fastener 50


- F1B-64: pneumatic stapler FASCO F1B - Fastener 64
- F1B-64AUT: pneumatic stapler FASCO F1B - Fastener 64
- F1B-11AUTLM: pneumatic stapler FASCO F1B double magazine - Fastener 11/140

- F1B-84: pneumatic stapler FASCO F1B - Fastener 84
- F1B-14: pneumatic stapler FASCO F1B - Fastener 14
- F1B-SR3: pneumatic stapler FASCO F1B - Fastener SR3
- F1B-SR5: pneumatic stapler FASCO F1B - Fastener SR5
- F1B-10J: pneumatic stapler FASCO F1B - Fastener 10J
- F1B-10F: pneumatic stapler FASCO F1B - Fastener 10F
- F1B-97B: pneumatic stapler FASCO F1B - Fastener 97B



Staples - Fasteners:

Typ:	A	B	C	L
97B	4,60	0,70	0,90	12-25
7C	9,00	0,60	0,75	6-16
84	12,30	0,55	1,00	6-16
64	12,50	0,50	0,75	6-16
50	12,50	0,50	1,25	6-16
80	12,80	0,60	0,90	6-16
530	11,20	0,55	0,75	6-16
11	10,80	0,50	1,25	6,16
14	10,10	0,60	0,75	6-16
SR3	12,80	0,50	0,75	6-16
SR5	12,80	0,50	1,25	6-16
10J	11,20	0,60	1,15	6-16
10F	11,20	0,55	0,75	6-16
4000	4,90	0,70	0,90	6-19



Technical details:

F1B Standard	F1B long nose	F1B DM magazine
Height: 157 mm	Height: 205 mm	Height: 157 mm
Width: 42 mm	Width: 42 mm	Width: 42 mm
Length: 218 mm	Length: 218 mm	Length: 376 mm
Weight: 780 g	Weight: 840 g	Weight: 990 g



[FASCO pneumatic stapler]

Fastening tools

Pneumatic stapler Fasco F2B

Our pneumatic stapler F2B is a single shot stapler available for various fasteners. Has a no-mar tip, sight window for fastener visibility and countersink depth control.

Advantages

- countersink depth control
- metall magazine in light special alloy
- 360° directional exhaust
- patented quick clear: magazine slides away from nose to clear jams
- no-mar tip: protects soft woods
- sight windows: visible fasteners
- contact tip or single shot actuation mode available
- ergonomic handle with rubber comfort grip to reduce vibration
- slim shaped nose: precise nailing into difficult corners and better visibility

Applications:

- construction, interior works, windows, doors
- wood working, wood processing
- furniture, upholstery works
- fastening of fabrics, leather, textiles

Available versions

Pneumatic stapler Fasco F2B 90-40: für fasteners 90
Pneumatic stapler Fasco F2B Combi: für staples 90 and brands GN

Pneumatic stapler Fasco F21P

Our pneumatic stapler Fasco F21 is a small, light weight but reliable pneumatic fastener.

Advantages:

- ergonomic handle with rubber comfort grip
- reduced vibration
- long and narrow nose for excellent job visibility
- one hand latch for a faster reloading and reduced downtime
- reversible bumper for high durability and increased parts life

Applications:

- garden furniture, upholstery, drawer guides, case backs, frame assembly
- panels and profile boards, mouldings and decorative trim, baseboards
- boat interiors, trade shows, shoe making, toys and dolls
- manufactured houses, picture frames, remodelling, dust covers, sofas
- vehicle panels, labelling, underlayment, fruit cases

Available versions

Pneumatic stapler FASCO F21P 4000-16: Fastener 4000/6-16
Pneumatic stapler FASCO F21P 4000-25: Fastener 4000/12-25
Pneumatic stapler FASCO F21T 90-25A: Fastener 90/12-25
Pneumatic stapler FASCO F21T 90-40A: Fastener 90/20-40
Pneumatic stapler FASCO F21T 92-25A: Fastener 92/12-25
Pneumatic stapler FASCO F21T SG-25: Fastener SG/12-25
Pneumatic stapler FASCO F21T SG-40: Fastener SG/20-40
Pneumatic stapler Fasco F21P 97B-25: Fastener 97B/12-25

Technical details:

Height: 182 mm
Length: 226 mm
Weight: 1,02 kg
Magazine - capacity: 150 pcs. (4000)
Air pressure: 4-7 bar
Air consumpt: 0,36 l




Staples - Fasteners:

Typ:	A	B	C	L
90	5,70	1,0	1,25	12-40




Brads:

Typ:	A	B	C	L
GN	5,70	1,0	1,25	12-40



Staples - Fasteners:

Typ:	A	B	C	L
4000	4,90	0,70	0,90	6-25
90	5,70	1,00	1,25	12-40
92	8,90	1,00	1,25	12-25
97B	4,60	0,70	0,90	12-25
SG	10,10	1,00	1,25	12-40



[FASCO pneumatic stapler]

Fastening tools

Pneumatic stapler Fasco F26T

Our pneumatic stapler Fasco F26AT is a strong tacking gun designed for various staples and applications.

Advantages

- designed with a long and narrow nose for excellent job visibility
- rubber comfort grip for non slip-handling
- reduced vibrations and fatigue
- bottom loading magazine speeds the reloading
- two finger trigger delivers great control and reduces finger fatigue

Applications

- garden furniture, upholstery, drawer guides, case backs, frame assembly
- panels and profile boards, mouldings and decorative trism, baseboards
- boat interiors, trade shows, shoe making, toys and dolls
- manufactured houses, picture frames, remodelling, dust covers, sofas
- vehicle panels, labelling, underlayment, fruit cases
- glue blocks, latex panels, shipping tags

Available versions

- Pneumatic stapler FASCO F26AT 76-40: fastener 76/20-40
- Pneumatic stapler FASCO F26AT 90-40: fastener 90/20-40
- Pneumatic stapler FASCO F26AT 92-40: fastener 92/20-40

Pneumatic stapler Fasco F3C

The pneumatic stapler Fasco F3C is a professional tacking gun for various staples and brands.

Advantages:

- bottom loading magazine: protects internal parts
- driver threaded into the piston for a better resistance
- rubber comfort grip: non-slip handling
- reduction of vibrations and fatigue
- two finger trigger provides less fatigue and more control
- 25 mm long nose for excellent job visibility

Applications


- garden furniture, drawer guides, case backs, frame assembly
- panels and profile boards, mouldings and decorative trism, baseboards
- carton cases on pallets, boxes and crates
- boat interiors, trade shows, shoe making, toys and dolls
- manufactured houses, picture frames, remodelling, dust covers, sofas
- vehicle panels, labelling, underlayment, fruit cases
- glue blocks, latex panels, shipping tags

Available versions

- Pneumatic stapler FASCO F3C 90-40: fasteners 90/20-40
- Pneumatic stapler FASCO F3C 92-40: fasteners 92/20-40
- Pneumatic stapler FASCO F3C SNW-38: fasteners SNW/19-38



Staples - Fasteners:


Typ:	A	B	C	L	
76	10,80	1,27	1,58	20-40	
90	5,70	1,00	1,25	20-40	
92	8,90	1,00	1,25	20-40	

Technical details:

Height: 263 mm	Capacity: ca. 80 Klammern
Length: 234 mm	Air pressure: 5-7 bar
Width: 53 mm	Air consumption: 0.85 l
Weight: 1,37 kg	



Staples - Fasteners:

Typ:	A	B	C	L	
90	5,70	1,00	1,25	20-40	
92	8,90	1,00	1,25	20-40	
SNW	26,40	1,40	1,60	22-38	

Technical details:

Height: 245 mm	Capacity: approx. 125 Klammern
Length: 260 mm	Air pressure: 4-7 bar
Width: 70 mm	Air consumption: 0.88 l
Weight: 1,98 kg	

[FASCO pneumatic stapler]

Fastening tools

Pneumatic stapler Fasco F45C

The pneumatic stapler Fasco F45C is a professional tacking gun for various staples and brads and high volumes.

Advantages:

- bottom loading magazine: protects internal parts
- driver threaded into the piston for a better resistance
- rubber comfort grip: non-slip handling
- reduction of vibrations and fatigue
- two finger trigger provides less fatigue and more control
- 25 mm long nose for excellent job visibility
- patented sequential fire / bump fire device
- tool-less jam cleaning mechanism
- easy access to nose if staple jams

Applications

- garden furniture, drawer guides, case backs, frame assembly
- panels and profile boards, mouldings and decorative trim, baseboards
- carton cases on pallets, boxes and crates
- fencing, sub flooring, scaffolding
- manufactured houses, dust covers, sofas
- vehicle panels, labelling, underlayment
- glue blocks, latex panels, shipping tags


Available versions

Pneumatic stapler FASCO F45C G-55: Staples G/25-55
Pneumatic stapler FASCO F45C B7-55: Staples B7/25-55
Pneumatic stapler FASCO F45C SQ-55: Staples SQ/25-55



Staples - Fasteners:

Typ:	A	B	C	L
G	10,80	1,40	1,60	25-55
B7	11,30	1,40	1,16	25-55
SQ	11,30	1,70	1,90	25-55
HD	12,40	1,40	1,60	25-55
GS16	13,00	1,40	1,60	25-55



Technical details:

Height: 316 mm
Length: 385 mm
Width: 90 mm
Weight: 2,40 kg

Capacity: approx. 160 staples
Air pressure: 5-8 bar
Air consumption: 1.39 l

[FASCO pneumatic stapler]

Fastening tools

Pneumatic stapling plier Fasco F1B

The stapling plier Fasco F1B is the lightest, most compact and yet strongest plier tool in the industry. Suitable for various staples and applications. High throat depth.

Advantages:

- long and narrow nose design
- excellent job visibility
- rubber comfort grip
- non-slip handling and reduction of vibrations and fatigue
- one hand latch - fast reloading and reduced downtime
- reversible bumper: high durability
- rear exhaust with muffler
- bottom loading magazine: protects internal parts

Applications:

- carton packaging

Available versions

- Pneumatic stapling plier Fasco F1C-50-16
- Pneumatic stapling plier Fasco F1C 80-16
- Pneumatic stapling plier Fasco F1C 777-16
- Pneumatic stapling plier Fasco F1C 779-16

Stapling plier Fasco F1G bedding plier

These tools' size make them the lightest, most compact and yet strongest plier tools in the industry. Suitable for various applications like mattress plastic and cloth stapling.

Advantages:

- long and narrow nose design
- excellent job visibility
- rubber comfort grip
- non-slip handling and reduction of vibrations and fatigue
- one hand latch - fast reloading and reduced downtime
- reversible bumper: high durability
- rear exhaust with muffler
- bottom loading magazine: protects internal parts


Available versions

- Pneumatic stapling plier Fasco F1G-50-16
- Pneumatic stapling plier Fasco F1G 80-16
- Pneumatic stapling plier Fasco F1G 110-16
- Pneumatic stapling plier Fasco F1G 779-16



Staples - Fasteners:

Typ:	A	B	C	L
50	12,70	0,55	1,25	6-16
80	12,70	0,65	0,95	6-16
777	12,30	0,70	2,25	6-16
779	12,50	0,70	1,25	6-16



Technical details:


Height: 280 mm
Length: 380 mm
Width: 80 mm
Weight: 2,10 kg

Throat depth: 180 mm
Air pressure: 5-8 bar
Air consumption: 1.39 l



Staples - Fasteners:

Typ:	A	B	C	L
50	12,70	0,55	1,25	6-16
80	12,70	0,65	0,95	6-25
110	13,00	0,70	1,60	12-25
779	12,50	0,70	1,25	6-16



Technical details:

Height: 327 mm
Length: 380 mm
Width: 75 mm
Weight: 2,22 kg

Throat depth: 30 mm
Air pressure: 4-8 bar
Air consumption: 1.39 l

[FASCO pneumatic stapler]


Staples - Fasteners

Staple Type 80

same size as:
Atro 80, BeA 80/380, Bostitch 86, Haubold 800, Kihlberg 680, Prebena A, Senco AT

Suitable for the following FASCO stapler:

FASCO F1B 80-16 LN FASCO F1B 80-16
FASCO F21P 80-25 FASCO F1B 80-16 Aut.




Staple Type 90

same size as:
Atro 90, BeA 90, Duo-Fast 1800, Haubold 6000, Holzher C, Kihlberg 781, Max 4MA, Prebena E, Senco L/N4450

Suitable for the following FASCO stapler:

FASCO F21P 90-25A FASCO F26AT 90-40A
FASCO F21T 90-40A FASCO F3C 90-40
FASCO F2B 90-40




Staple Type 7C

same size as:
Atro 7/72, BeA 71, Bostitch Ba7186, Haubold 7100, Kihlberg 670, Prebena V, Senco 3G/C

Suitable for the following FASCO stapler:

FASCO F1B 7C-16 FASCO F1B 7C-16 LN
FASCO F1B 7C-16 Aut. FASCO F1B 7C-16 Aut. LM




Staple Type 50

same size as:
BeA 95, Duo-Fast 5000, Haubold 900, Prebena D

Suitable for the following FASCO stapler:

FASCO F1B 50-16 FASCO F1B 50-16 Aut. LM
FASCO F1B 50-16 Aut.




Staple Type 64

same size as:
Atro 6, BeA 72, Duo-Fast 3000, Haubold 1800, Prebena AM

Suitable for the following FASCO stapler:

FASCO F1B 64-16 FASCO F1B 64-16 Aut.




Staple Type 84

same size as:
Atro 84, Bostitch SBNK4023, Prebena AD

Suitable for the following FASCO stapler:

FASCO F1B 84-16



[FASCO pneumatic stapler]


Staples - Fasteners

Staple Type 14

same size as:
Haubold 1400, Kihlberg KI1400, Prebena VF

Suitable for the following FASCO stapler:

FASCO F1B 14-16




Staple Type 16

same size as:
Bostitch SB3023, Prebena PM, Senco B/3, Spotnails 813

Suitable for the following FASCO stapler:

FASCO F1B SR3-16




Staple Type SR5

same size as:
Bostitch SB5019, Prebena P, Senco F/5

Suitable for the following FASCO stapler:

FASCO F1B SR5-16




Staple Type 10J

same size as:
Kihlberg 695, Max 10J, Prebena PL

Suitable for the following FASCO stapler:

FASCO F1B 10J-16




Staple Type 10F

same size as:
Max 10F, Prebena VX

Suitable for the following FASCO stapler:

FASCO F1B 10F-16




Staple Type SJK

same size as:
Atro SJK, Bostitch SJ3026, Prebena TX

Suitable for the following FASCO stapler:

FASCO F1B SJK-19




Staple Type 97B

same size as:
BeA 97, Kihlberg 690, Prebena O

Suitable for the following FASCO stapler:

FASCO F1B 97B-19

FASCO F21P 97B-25A



[FASCO pneumatic stapler]

Staples - Fasteners

Staple Type 4000

same size as:


Atro 40, Atro 93, Haubold 4000, Prebena TB, Senco W

Suitable for the following FASCO stapler:

FASCO F1B 4000-16

FASCO F21P 4000-25

A	B	C	L
4,90	0,70	0,90	8 - 25 mm



Staple Type 92

same size as:

BeA 92, Kihlberg 664, Max 7MA, Prebena H


Suitable for the following FASCO stapler:

FASCO F21T 92-25A

FASCO F3C 92-40

FASCO F26AT 92-40

A	B	C	L
8,90	1,00	1,25	9 - 40 mm



Staple Type SG

same size as:


Kihlberg 782, Prebena G, Senco M/G4450, Spotnails 58

Suitable for the following FASCO stapler:

FASCO F21T SG-25

FASCO F3 SG-40

A	B	C	L
10,10	1,00	1,25	8 - 40 mm



Staple Type ATW


same size as:

Atro 16WC, BeA 140, Bostitch BCS32, Kihlberg 654, Omer WS, Prebena WC

Suitable for the following FASCO stapler:

FASCO F3C ATW-38

A	B	C	L
25,00	1,40	1,60	15 - 35 mm



Staple Type SNW


same size as:

Duo-Fast 1700, Kihlberg 784, Omer WP, Prebena WS, Senco P/W5562

Suitable for the following FASCO stapler:

FASCO F3C SNW

A	B	C	L
26,50	1,40	1,60	10 - 38 mm



Staple Type DP


same size as:

Haubold BK-DP, Paslode GSW15

Suitable for the following FASCO stapler:

FASCO F3C DP-38

A	B	C	L
22,50	0,95	2,25	15 - 30 mm



Staple Type B7

same size as:


Haubold KG700, Holzher 3414, Paslode GSI 16, Prebena Z

Suitable for the following FASCO stapler:

FASCO F45C B7-55

FASCO F21P 97B-25A

A	B	C	L
11,30	1,40	1,60	14 - 64 mm



[FASCO pneumatic stapler]

Staples - Fasteners

Staple Type G

same size as:

Atro 100, BeA 14/155, Kihlberg 783, Prebena L, Senco N/G5562


Suitable for the following FASCO stapler:

FASCO F26AT 76-40A

FASCO F1B 80-16

FASCO F3C G-40

A	B	C	L
10,80	1,40	1,60	20 - 65 mm



Staple Type GS/16


same size as:

ITW Paslode GS16

Suitable for the following FASCO stapler:

FASCO F45C GS/16-55

A	B	C	L
13,00	1,40	1,60	25 - 55 mm



Staple Type HD


same size as:

Atro 16NC, Bostitch BCS4, Prebena S

Suitable for the following FASCO stapler:

FASCO F45C HD-55A

A	B	C	L
12,40	1,40	1,60	25 - 65 mm



Staple Type SQ


same size as:

Atro 18NC, BeA 180, Duo-Fast 1700, Haubold HD790, Senco Q/Q6774

Suitable for the following FASCO stapler:

FASCO F45C SQ-55

A	B	C	L
11,30	1,70	1,90	25 - 65 mm



[FASCO pneumatic pinner]

Staples - Fasteners

Pneumatic pinner FASCO F23 A64-35PB

The pneumatic pinner Fasco F23 A64-35 PB is a light weight and powerfull tool for pins without head. Ist rubber comfort grip ensures a non-slip handling and reduces vibrations and fatigue. Auto adjustable pusher for different fastener lengths. Lock-out to prevent dry firing. Removeable no-mar tip and extra rubber tip stored. Steel driver blade for longer live.

Applications:

- garden furniture, upholstery, drawer guides, case backs, kitchen units
- mouldings and decorative trims, sheathing, baseboards, doors and windows
- boat interiors, trade shows, shoe making, toys and dolls
- saunas, glazing and beading, manufactured houses, picture frames

Available versions

Pneumatic pinner Fasco F1B A64 - 35



Pins and brads:

Typ:	A	B	L	0.64 x 0.64 mm
A64	0,64	0,64	12-18	12 mm
				18 mm

Technical details:

Height: 192 mm	Capacity: 120 pins
Width: 62 mm	Air pressure: 5-7 bar
Length: 220 mm	Air consumption: 0.44 l
Weight: 990 g	

Pneumatic pinner FASCO F21P GA-31

The pneumatic pinner FASCO F21P GA-31 is a powerful tool with a no-mar tip to avoid markings on soft wood. This pinner comes with a rubber comfort grip to ensure a non-slip handling and reduces vibrations and fatigue.

Applications:

- garden furniture, upholstery, drawer guides, case backs, kitchen units
- mouldings and decorative trims, sheathing, baseboards, doors and windows
- boat interiors, trade shows, shoe making, toys and dolls
- saunas, glazing and beading, manufactured houses, picture frames

Available versions

Pneumatic pinner Fasco F21P GA-18/31



Pins and brads:

Typ:	A	B	L	1.0 x 1.27 mm
GA	1.00	1,27	18-31	18 mm
				31 mm

Technical details:

Height: 182 mm	Capacity: 100 pins
Width: 49 mm	Air pressure: 4-7 bar
Length: 226 mm	Air consumption: 0,36 l
Weight: 1020 g	

[FASCO pneumatic pinner]

Staples - Fasteners


Pins A64

Suitable for the following FASCO tools:

FASCO F1B A64-12/18

Same size as:


Atro Minio, BeA S700, Haubold ST06, Kihlberg 506, Prebena AL, Senco SZ



10-50 - - 0,60 - -

Pins B82

Suitable for the following FASCO tools:



10-50 - - 0,80 - -


Pins GA

Suitable for the following FASCO tools:

FASCO F21P GA-18/31A

Same size as:

Atro I, BeA S100, Bostitch AZ 5550, Prebena GA, Senco AZ




8-60 1,20 1,10 1,20 - -

Brads A64 - Micro Brads - 23g

Suitable for the following FASCO tools:

FASCO F23 A64-35PB

FASCO F23 A64-50PB



10-50 - - 0,60 0,90 0,60


Brads - MB - 21 g

Suitable for the following FASCO tools:

FASCO F1A MB-25A

Same size as:

Atro Mini Tip, BeA Sk200, Duo-fast MB, Omer M, Prebena JA



10-50 0,90 0,70 0,80 1,50 0,50

Brads - GN - 18 g

Suitable for the following FASCO tools:

FASCO F21P GN-31A


FASCO F2B GN-50

FASCO F21T GN-40A

FASCO F26 AC GN-50

Same size as:

Atro TIPIN, BeA Sk300, Bostitch BTI300, Duo-Fast 4400, Haubold SKN12, Kihlberg 512, Max Nf18, Paslode F18, Prfebena J/JM, Senco AX/AY



8-60 1,20 1,00 1,20 2,10 1,00

Brads - FN - 16 g


Suitable for the following FASCO tools:

FASCO F26 FN-50A

FASCO F3C FN-50A

Same size as:

Atro Tip, BeA Sk400, Bostitch BTI200, Duo-Fast 700, Haubold SKN16, Kihlberg 516, Max NF16, Prebena N



10-70 1,60 1,40 1,60 2,80 1,50


Brads - FNDF - 15 g

Suitable for the following FASCO tools:

FASCO F45C FNDF-70

Same size as:

Duo-Fast 800, Haubold SKN20, Paslode F14, Prebena ND



16-70 2,30 1,50 2,00 3,50 1,40

[FASCO pneumatic pinner]

Staples - Fasteners

Pneumatic Bradder F21T GN-40A

The bradder FASCO F21T GN-40A is a powerful tool for brads "GN". This tool has a rubber comfort grip to ensure a non-slip handling and reduced vibrations and fatigue.

Advantages:

- no-mar tip avoids marking of soft wood
- Reversible bumper for high durability and increased parts life
- Side windows to see visible brads for reducing the incidence of dry-fire
- Patented quick clear permits to clear jams easily.

Applications:

- garden furniture, upholstery, drawer guides, case backs, kitchen units
- mouldings and decorative trims, sheathing, baseboards, doors and windows
- boat interiors, trade shows, shoe making, toys and dolls
- saunas, glazing and beading, manufactured houses, picture frames

Available versions:

- Bradder Fasco F21P GN-31A: Brads up to 31 mm length
- Bradder Fasco F21T GN-40A: Brads up to 40 mm length
- Bradder Fasco F21T GN-40A glazing strip: Brads up to 40 mm length

Technical details:

Height: 222 mm	Capacity: 105 brads
Length: 257 mm	Air pressure: 4-7 bar
Width: 49 mm	Air consumption: 0.43 l
Weight: 1,24 kg	



Brads:

Available sizes:
 12 mm - 40 mm

Same size as:
 Fasco GN, Atro Tipni, Bea Sk300, Bostitch BTI300, Duofast 4400, Haubold SKN12, ITW Paslode F18, Holzher 1.2, Kihlberg 512, Max Nf18, Nikema GF, Omer12, Prebena J/JM, Senco AX/AY, Spotnails 18GB

Pneumatic Bradder F21T GN-40A G.S. Glazing strip


The bradder FASCO F21T GN-40A G.S. SS is a powerful tool for brads "GN". This tool is specially designed with adjustable guides and rollers.

Advantages:

- no-mar tip avoids marking of soft wood
- Reversible bumper for high durability and increased parts life
- Side windows to see visible brads for reducing the incidence of dry-fire
- Patented quick clear permits to clear jams easily.

Applications:

- glazing and beading
- glass bead moulding



Brads:

Available sizes:
 12 mm - 40 mm

Same size as:
 Fasco GN, Atro Tipni, Bea Sk300, Bostitch BTI300, Duofast 4400, Haubold SKN12, ITW Paslode F18, Holzher 1.2, Kihlberg 512, Max Nf18, Nikema GF, Omer12, Prebena J/JM, Senco AX/AY, Spotnails 18GB

Available versions:

- Bradder Fasco F21P GN-31A: Brads up to 31 mm length
- Bradder Fasco F21T GN-40A: Brads up to 40 mm length
- Bradder Fasco F21T GN-40A glazing strip: Brads up to 40 mm length

Technical details:

Height: 222 mm	Capacity: 105 brads
Length: 285 mm	Air pressure: 5-7 bar
Width: 68 mm	Air consumption: 0.43 l
Weight: 1,28 kg	

[FASCO pneumatic pinner]

Staples - Fasteners

Pneumatic bradder F2B GN-50

The pneumatic bradder F2B is a powerful bradder for various professional applications. This tool comes with a rubber comfort grip to ensure a non-slip handling and reduced vibrations and fatigue.

Advantages:

- no-mar tip avoids marking of soft wood
- two-finger trigger delivers great control and reduces finger fatigue
- Side windows to see visible brads for reducing the incidence of dry-fire
- Patented quick clear permits to clear jams easily.

Applications:

- garden furniture, upholstery, drawer guides, case backs, kitchen units
- mouldings and decorative trims, sheathing, baseboards, doors and windows
- boat interiors, trade shows, shoe making, toys and dolls
- stairs and hand rails, frame assembly, panels and profile boards, fencing

Available versions:

Pneumatic bradder Fasco F26AC FN-50A: Brads FN up to 50 mm length
 Pneumatic bradder Fasco F26AC GN-50A: Brads GN up to 50 mm length

Technical details:

Height: 246 mm	Capacity: 105 brads
Length: 258 mm	Air pressure: 5-7 bar
Width: 58 mm	Air consumption: 0.57 l
Weight: 1.25 kg	

Pneumatic bradder F3C FN-50


The pneumatic bradder F3C is a powerful bradder for various professional applications. This tool comes with a rubber comfort grip to ensure a non-slip handling and reduced vibrations and fatigue. Available for FN brads.

Advantages:

- no-mar tip avoids marking of soft wood
- slim nose for easy precise nailing
- Reversible bumper for high durability and increased parts life
- Side windows to see visible brads for reducing the incidence of dry-fire
- Patented quick clear permits to clear jams easily.

Applications:

- garden furniture, upholstery, drawer guides, case backs, kitchen units
- mouldings and decorative trims, sheathing, baseboards, doors and windows
- boat interiors, trade shows, shoe making, toys and dolls
- stairs and hand rails, frame assembly, panels and profile boards, fencing



Brads:

Available sizes
 FN: 15 - 50 mm
 GN: 15 - 50 mm



Brads:

Verfügbare Größen:
 FN-30 mm - 70 mm

Funktioniert auch mit:

Fasco GN, Atro Tipni, Bea Sk300, Bostitch BTI300, Duofast 4400, Haubold SKN12, ITW Paslode F18, Holzher 1.2, Kihlberg 512, Max Nf18, Nikema GF, Omer12, Prebena J/JM, Senco AX/AY, Spotnails 18GB

Technical details:

Height: 245 mm	Capacity: ca. 100
Length: 290 mm	Air pressure: 5-7 bar
Width: 70 mm	Air consumption: 0.85 l
Weight: 1,71 kg	

[FASCO Nailers - T-Nails]

Staples - Fasteners

Pneumatic bradder F26AC

The pneumatic bradder F26AC is a powerful bradder for various professional applications. This tool comes with a rubber comfort grip to ensure a non-slip handling and reduced vibrations and fatigue. Available for 2 different brads.

Advantages:

- no-mar tip avoids marking of soft wood
- Reversible bumper for high durability and increased parts life
- Side windows to see visible brads for reducing the incidence of dry-fire
- Patented quick clear permits to clear jams easily.

Applications:


- garden furniture, upholstery, drawer guides, case backs, kitchen units
- mouldings and decorative trims, sheathing, baseboards, doors and windows
- boat interiors, trade shows, shoe making, toys and dolls
- stairs and hand rails, frame assembly, panels and profile boards, fencing

Available versions:

Pneumatic bradder Fasco F26AC FN-50A: Brads FN up to 50 mm length
 Pneumatic bradder Fasco F26AC GN-50A: Brads GN up to 50 mm length

Technical details:

Height: 250 mm	Capacity: 80 brads (FN)
Length: 252 mm	Air pressure: 5-7 bar
Width: 56 mm	Air consumption: 0.73 l
Weight: 1.35 kg	



Brads:

Available sizes
 FN: 15 - 50 mm
 GN: 15 - 50 mm

Pneumatic T-Nailer Fasco F45C NT-70A

This very powerful pneumatic T-nailer is a professional tool for various heavy duty applications. Comes with a rubber comfort grip to ensure a non-slip handling and reduced vibrations and fatigue.

Advantages:

- includes a patented sequential fire / bump fire
- adjustable exhaust cover diverts air away from the operated
- Body and cap in high strength magnesium alloy for good balance
- no-mar tip avoids marking of soft wood

Applications:

- fencing, sheathing, stairs and hand rails
- upholstery, drawer guides, case backs, kitchen units
- frame assembly, panels and profiled boards, baseboards
- doors and windows, moulding and decorative trims

Ausführungen:

T-Nailer Fasco F45C NT-70: Nails "NT" bis 70 mm



Stauchkopfnägel

Available sizes:
 NT-25 mm - 70 mm
 Pitch: 7.0 mm
 Wire strength: 2.5 x 2.5 mm

Same size as:

Atro Tn22, BeA T, Bostitch BT, Duo-Fast TN, Haubold TN22, Prebena T

Technical details:

Height: 315 mm	Capacity: approx. 85 (NT)
Length: 337 mm	Air pressure: 5-8 bar
Width: 90 mm	Air consumption: 1.17 l
Weight: 2.77 kg	

[FASCO Coilnailer]

Coilnailer

Pneumatic nailer F45C CN15W-55

Our coilnailer Fasco F48C CN15W-55 is a professional coilnailer for various applications. It comes with a rubber grip that ensures a non-slip handling and reduced vibrations and fatigue.

Advantages:

- high impact engineered plastic magazine with adjustable bottom steel plate
- body in high strength magnesium alloy for good balance and ease of handling

Applications:

- garden furniture, fencing, trusses
- roof joists, rafters and joists, decking
- pallets, boxes and crates, cable reels

Technical details:

Height: 290 mm
 Length: 290 mm
 Width: 130 mm
 Weight: 2,68 kg

Capacity: 200-300 Nägel
 Air pressure: 5-7 bar
 Air consumption: 1.46 l




Nails:

Available sizes:

Fasco CN15W - 25 - 57 mm - 15°

A: Wire: 3.0 mm
 B: Head: 10 mm
 C: Pitch: 8 mm
 L: 19 - 45 mm



Same size as:

Fasco CN15W, Atro RHC, Bea BDC, Bostitch C/AC, Duofast CW, Haubold RNCW, ITW Paslode FC, Kihlberg CN Wire, Max CN, Nikema CN, Prebena CNW, Senco SCN, Sportnails CN

Pneumatic nailer F6AC CN15W-90B SCR

Our coilnailer Fasco F6AC CN15W-90B Scrail is a very powerful T-nailer for welded Scrail and BeckDeck fastener. It comes with a rubber grip that ensures a non-slip handling and reduced vibrations and fatigue.

Advantages:

- high impact engineered plastic magazine with adjustable bottom steel plate
- fully pneumatic feeding and positioning system to precise nailing even at low pressures
- body in high strength magnesium alloy for good balance and ease of handling
- includes a patented sequential fire / bump fire device

Applications:

- garden furniture, fencing, trusses
- roof joists, rafters and joists, decking
- pallets, boxes and crates, cable reels

Available versions:

Druckluftnagler F6AC CN15W-90B

Technical details:

Height: 370 mm
 Length: 335 mm
 Width: 150 mm
 Weight: 3,77 kg

Capacity: ca. 200-300
 Air pressure: 5-8 bar
 Air consumption: 2.82 l




Nails - Scrail fasteners

Available size - standard

Fasco CN15W - 25 - 90 mm - 15°

A: Wire: 2.5 - 3.4 mm
 B: Head: 7.0 mm
 C: Pitch: 8.0 mm
 L: Length: 25 - 90 mm



Also suitable for:

Fasco CN15W, Atro R RNCW, ITW Paslode f Prebena CNW, Senco SCN, Sportnails CN

Available size - Scrail

A: Wire: 2.8 - 3.4 mm
 B: Head: Philips drive, Square drive, Pozi drive
 L: Length: 25 - 90 mm
 Beck Wire coil scrail, Beck beckdeck

[FASCO Coilnailer]

Coilnailer

Pneumatic nailer Fasco F6AC (HHN31-100A SCR)

Our coilnailer Fasco F6AC HHN31-100A Scrail is a very powerful T-nailer for welded Scrail and BeckDeck fastener. It comes with a rubber grip that ensures a non-slip handling and reduced vibrations and fatigue.

Advantages:

- compatible with 31° Strip Scrail and BeckDeck fastener
- Extruded aluminium alloy magazine that holds three strips of nails
- Tool-free depth of drive adjustment to countersink or flush drive nails
- no-mar tip storable in the canister ensured undamaged wood surface
- Body and cap in high strength magnesium allow for a good balance

Applications:

- garden furniture, fencing, trusses
- roof joists, rafters and joists, decking
- pallets, boxes and crates, cable reels

Available versions:

Pneumatic nailer FASCO F6A HHN31-90A - Nails: 34° - 90 mm
Pneumatic nailer FASCO F6A HHN31-90A SCR - Scrail-nails 34° - 90 mm
Pneumatic nailer FASCO F6A HHN31-100A - nails 34° - 100 mm
Pneumatic nailer FASCO F6A HHN31-100A SCR - Scrail nails 34° - 100 mm

Pneumatic nailer Fasco F6A RHN20-90A- nails 20° - 90 mm
Pneumatic nailer Fasco F6A RHN20-100A - nails 20° - 100 mm
Pneumatic nailer Fasco F6A RHN20-100A SCR - Scrail-nails 20° - 100 mm

Pneumatic nailer Fasco F6A RHN17-90 - nails 17° - 90 mm

Technical data: (F6A HHN31-100A)


Height: 380 mm	Capacity: 75 Nails
Length: 505 mm	Air pressure: 5-8 bar
Width: 105 mm	Air consumption: 2.03 l
Weight: 3,87 kg	



Strip nails


HHN31:

A: Wire: 2.8 mm - 3.4 mm
B: Head: 7.3 mm DM
L: Length: 50 - 100 mm
Angle: 34°




HHN31 SCR:

A/B: Wire: 2.8 mm - 3.5 mm
C: Kopf: Philips drive, square drive, poxi drive, duplex/combo drive
L: Length: 50 - 75 mm
Angle: 34°




HHN20:

A: Wire: 2.9 mm - 3.4 mm
B: Head: 7.0 mm DM
C: Pitch: 5.3 mm
L: Length: 50 - 100 mm
Angle: 20°



HHN20 SCR:

A/B: Wire: 2.8 mm - 3.5 mm
C: Head: Philips, square, poxi drive
L: Length: 50 - 75 mm
Angle: 20°



RHN17:

A: Wire: 2.9 mm - 3.4 mm
B: Head: 7.0 mm DM
C: Pitch: 5.3 - 6.0 mm
L: Length: 50 - 90 mm
Angle: 17°

