

Lohnergasse 1a - 1210 Wien
[T]: +43 1 4791175 - [F]: +43 1 4709051

www.margreiter-technik.at

Büro Deutschland: Hans Hilscher GmbH.

Schlierseer Straße 11 - 83735 Bayrischzell [T]: +49 8023 9399950 - [F]: +49 8023 9399951 www.margreiter-technik.de

Security seals

[Pull-tight seal]

Pull-tight seals are security seals for many applications. Each seal is closed like a plastic tie and can be closed without any tool. Each cinch-up seal has a label preprinted with a consecutive number and the word "SEALED".

The security seals cannot be opened and can only be removed by destroying it.

Our adjustable seals are available in different lengths, strengths and security levels. Each seal can be personalised to your demands either fix a text or a company logo.

Pull-tight seal "ADJ"

Our security seal "ADJ 315" is an adjustable, easy to use, self locking pull-tight seal. Favourable price, speedy application.


This seal is available in two different lengths and various colours.


Art.Nr.	Length:	Wire:
GE ADJ 315	315 mm	3.3 mm DM
GE ADJ 425	425 mm	3.3 mm DM

Imprint:

Ink transfer print Sequenced numbering up to 15 digits Barcode possible Customised up to 20 characters on one line Logo available on request

Label: 22x50 mm





Colours available:



Packaging ADJ 315

Carton mit 1000 Plomben Strip with 10 seals

Carton dimension: 56 x 33 x 19 cm

Weight: 3.5 kg

Packaging ADJ 425

Carton mit 1000 Plomben Strip with 10 seals

Carton dimension: 56 x 33 x 24 cm

Weight: 5.0 kg



Lohnergasse 1a - 1210 Wien [T]: +43 1 4791175 - [F]: +43 1 4709051 www.margreiter-technik.at

Büro Deutschland: Hans Hilscher GmbH.

Schlierseer Straße 11 - 83735 Bayrischzell [T]: +49 8023 9399950 - [F]: +49 8023 9399951 www.margreiter-technik.de

Pull tight seal]

Security seals

Pull-tight seal "MARS"

The pull-tight seal "MARS" is an adjustable security seal for quick application for immediate security. This seal offers a metal lock mechanism for higher security.

Our pull-tight seal "MARS" is available in various lengths and cable diameters.

Art.Nr.	Description	Length:	Cable:
GE Mars 225	Durchziehplombe "Mars"	225 mm	1.3 mm DM
GE Mars 315	Durchziehplombe "Mars"	315 mm	2.0 / 3.3 mm DM
GE Mars 425	Durchziehplombe "Mars"	425 mm	2.0 / 3.3 mm DM
GE Mars 500	Durchziehplombe "Mars"	500 mm	3.3 mm DM
GE Mars 600	Durchziehplombe "Mars"	600 mm	3.3 mm DM

Imprint:

Ink transfer print

Consecutive number: up to 15 digits

Barcode possible, Customised Logo on request Customised up to 20 characters on one line


Plombenfahne: 22x50 mm



Colours available



X = Lagerware



Packaging Mars 225

Carton with 1000 seals Strips with 10 seals Carton size: 56 x 33 x 19 cm

Weight: 2.0 kg

Packaging Mars 315

Carton with 1000 seals Strips with 10 seals Carton size: 56 x 34 x 20 cm Weight: 4.0 kg

Packaging Mars 425

Carton with 1000 seals Strips with 10 seals Carton size: 56 x 33 x 25 cm Weight: 4.5 kg



Büro Deutschland: Hans Hilscher GmbH.

Schlierseer Straße 11 - 83735 Bayrischzell [T]: +49 8023 9399950 - [F]: +49 8023 9399951 www.margreiter-technik.de

[Pull-tight seal]

Security seal

Pull-tight seal "MARS XL"

The pull-tight seal "MARS XL" is an adjustable security seal for quick application for immediate security. This seal offers a metal lock mechanism for higher security. The seal flag is 50x68 mm offering enough space for individual printing.

Art.Nr.DescriptionLength:Cable:GE Mars 420 XL Pull-tight seal "Mars XL"420 mm3.8 mm DM

Imprint:

Ink transfer print Consecutive number: up to 15 digits Barcode possible, Customised Logo on request Customised up to 20 characters on one line Plombenfahne: 50x68 mm

Material:

Polypropylen - high density

Packaging:

Carton: 1000 pieces Size: 45x24x45 cm Weight / carton: 10.6 kg

Pull-tight seal "Secur"

Our pull tight seal "Secur" is one of our standard plastic seals. This seal offfers high security standards in combination with good handling and favourable price. Our security seal "Secur" is available in various colours and can be preprinted with laser or hot printing. In addition, we can offer this security seal customized with 1000 pieces only.

Properties

Material: plastic Length: 405 mm total Consecutive number: yes

Customized imprint

logo or standard letters Barcode: optional


MOQ for customized seal: 1000 pieces

Packaging:

Carton: 1000 pieces Weight / carton: 5 kg











Lohnergasse 1a - 1210 Wien [T]: +43 1 4791175 - [F]: +43 1 4709051

www.margreiter-technik.at


Büro Deutschland: Hans Hilscher GmbH.

Schlierseer Straße 11 - 83735 Bayrischzell [T]: +49 8023 9399950 - [F]: +49 8023 9399951 www.margreiter-technik.de

Pull-tight seal]

Pull-tight seal "Mini R"

Our Security seal Mini-R is a pull-up seal with 180 mm length. This seal is very easy to open and is suitable for any kind of meters, fire extinguishers, first-aid kits or emergency exit doors. You can open the Mini R seal simple without any additional tools.



Properties:

Length overall: 180 mm Useable length: 161 mm Sealing wire: 1.0 mm

Flag: no flag

Customization:

Laser imprint

Consecutive number: up to 7 digits

Packaging:

1000 pcs. / carton Size: 30x30x13 cm Weight: 2 kg

Pull-tight seal "Mini F"

Our pull tight seal "Mini F" is a small security seal also knows as "ES 15" seal. This security seal is very versatile with a sealing wire of only 1.0 mm diamter. You can open this seal without any additional tools, therefore, this seal is suitable also for fire extinguishers, first-aid kits, emergency exits etc.



Properties:

Length overall: 180 mm Useable length: 161 mm Sealing wire: 1.0 mm Flag: 19x8 mm


Customization:

Laser imprint

Consecutive number: up to 7 digits

Packaging:

1000 pcs. / carton Size: 34x30x13 cm Weight: 2 kg






Colours available









Büro Deutschland: Hans Hilscher GmbH.

[Pull tight seal]

Security seals

Pull-tight seal "EASY" + "SIMPLE"

The security seal "Easy and Simple" is an easy to use adjustable security seal. This favourable pull-tight seal is available in two different lengths. For even more comfort, this seal has a tear-off function so you can open this seal without any additional tool.

This cinch-up seal has a strong 6 mm band for secure applications.

Applications:

Post bags, forwarding agency, international container, transport and many more

Art.Nr.DescriptionLength:ImprintGE Simple295Pull-tight seal "Simple"295 mm2 Zeilen à 11GE Simple420Pull-tight seal "Simple"420 mmZeichen

Imprint

- · Ink transfer print
- Consecutive numbering up to 15 digits
- · Barcode possible
- Customizsed up to 20 characters / line
- Logo: upon request

SEALED W 0106223

Colours available





Packaging

Carton with 1000 seals Carton size: 56 x 39 x 21 cm

Weight: 4.0 kg

Abmessung - Simple 295 mm





Pull-tight seal "Tiny"


Our pull-tight seal "Tiny" is an easy to use adjustable security seal. This seal has a very thin band and can be removed manually without any additional tool. This seal is most suitable where you need to open and break the seal easily.

Size:

Length: 255 mm Width: 2.2 mm Label: 22x45 mm

Imprint

- Laser print
- Consecutive numbering up to 15 digits
- Barcode possible
- Customizsed up to 20 characters / line
- Logo: upon request





Colours available:



Packaging:

- 1 Carton with 1000 seals
- Strips of 10 seals
- Carton size: 30 x 24 x 22 cm
- Weight: 1.8 kg



Lohnergasse 1a - 1210 Wien [T]: +43 1 4791175 - [F]: +43 1 4709051 <u>www.margreiter-technik.at</u>

Büro Deutschland: Hans Hilscher GmbH.

Schlierseer Straße 11 - 83735 Bayrischzell [T]: +49 8023 9399950 - [F]: +49 8023 9399951 www.margreiter-technik.de

[Pull tight seal]

Pull-tight seal "Hector"


The pull-tight seal "Hector" is an adjustable cinch-up seal for simple and speedy applications. This security seal has a tear-off possibility so it can be removed without any additional tool.

Sizes: Width: 6 mm

Length: 430 oder 380 mm Label: 30x83 mm

Imprint

- Hot Print
- · Consecutive numbering up to 15 digits
- · Barcode possible
- Customizsed up to 20 characters / line
- · Logo: upon request



Security seals



Colours available



Packaging

Carton with 1000 seals Carton size: 50 x 40 x 34 cm

Weight: 10.0 kg

Pull-tight seal "Kronos"

The pull-tight seal "Kronos" is an adjustable security seal with a very large label. This seal can also be supplied with a tear-off possibility to remove the seal without any additional tool.


This seal is frequently used where the imprint is important.

Size:

Length: 424 mm Width: 4.0 mm Label: 72x110 mm

Imprint

- Ink transfer print
- · Consecutive number: up to 15 digits
- · Barcode possible
- Customised up to 20 characters / Line
- Logo: on request





Colours available



Packaging

Carton with 500 seals Carton size: 56 x 39 x 12 cm

Weight: 5.0 kg



Security seals

Büro Deutschland: Hans Hilscher GmbH.

Schlierseer Straße 11 - 83735 Bayrischzell
[T]: +49 8023 9399950 - [F]: +49 8023 9399951

www.margreiter-technik.de

Metallic strapseals]

Metallic strapseal "Balloon"

Our metallic strapseal "Balloon" is perhaps the most secure type of strap seal in our range. This security seal has a special blocking system where the seal 's tail is inserted into the head (balloon). The internal double steel spring clamps the tail in place. After the seal has been blocked, it is no longer possible to reopen it without breaking the seal.

Customised:

- Relief printed
- Sequential number up to 7 digits
- Customised up to 16 characters / line
- Logos on request



039838

Colours available



Packaging "Balloon"

Carton with 1000 seals Carton - size: 39.5 x 29 x 20 cm Weight: 8.5 kg

Metallic strapseal "Truck"

Our strapseal "Truck" is a metallic strap seal for container use. This is the most economical strap seal in our range.

Imprint

- Relief printed
- Sequenced number up to 7 digits
- Customised up to 20 characters in one line
- · Logo available on request







Colours available



Packaging "Truck"

Carton with 1000 seals Carton size: 32 x 22 x 12 cm

Weight: 4.0 kg



Lohnergasse 1a - 1210 Wien [T]: +43 1 4791175 - [F]: +43 1 4709051 <u>www.margreiter-technik.at</u>

Büro Deutschland: Hans Hilscher GmbH.

Schlierseer Straße 11 - 83735 Bayrischzell [T]: +49 8023 9399950 - [F]: +49 8023 9399951 www.margreiter-technik.de

Plastic strap seals]

Security seals

Plastic strap seal "Horn 215"

The plastic strap seal "Horn 215" is a plastic security seal with a secure locking mechanism.


This seal has a calender function offerint 12 numbers for each month and 31 numbers for the days.

Size:

Lenght: 215 mm Width: 7 mm

Imprint:

- Laser print
- · Sequenced number up to 15 digits
- · Barcode possible
- Customised up to 20 characters



Colours available



Packaging

Carton with 1000 seals Strips of 10 seals Carton - size: 24 x 38 x 19 cm

Weight: 1.9 kg

Plastic strap seal "Horn 260"

The plastic strap seal "Horn 260" is a plastic security seal with a secure locking mechanism.


This seal has a calender function offerint 12 numbers for each month and 31 numbers for the days.

Size:

Lenght: 260 mm Width: 7 mm

Imprint:

- Laser print
- Sequenced number up to 15 digits
- Barcode possible
- Customised up to 20 characters





Packaging

Carton with 1000 seals Strips of 10 seals Carton - size: 24 x 38 x 19 cm

Weight: 2.4 kg



Lohnergasse 1a - 1210 Wien [T]: +43 1 4791175 - [F]: +43 1 4709051 <u>www.margreiter-technik.at</u>

Büro Deutschland: Hans Hilscher GmbH.

Schlierseer Straße 11 - 83735 Bayrischzell [T]: +49 8023 9399950 - [F]: +49 8023 9399951 www.margreiter-technik.de

[Strapseals]

Plastic strapseal "Fixcar"


The plastic strapseal "Fixcar" is a unique, specially designed strapseal for greater security. This seal has a specially designed locking tooth which, a click sound signifies the seal has been closed correctly.

Sizes:

Length: 225 mm Width: 8 mm

Imprint:

- Laser print
- · Sequenced number up to 15 digits
- Barcode possible
- · Customised up to 20 characters



Metallic strap seal "Metal"

Our security seal "Metal" is a cargo container identification seal which offers a high security level. Even from longer distance, this metallic strap seal is highly visable.


This security seal is most suitable for freight containers, vehicle doors and TIR cables. It can be produced in various lengths from 10 to 115 cm.

Applications:

Container, freight containers, vehicle doors, TIR cables, and many more

Imprint

- Hot print
- Sequenced numbering up to 6 digits
- Customised up to 20 characters
- · Logo available on request



Security seals



Colours available



Packaging

Carton with 1000 seals Strips of 10 seals Carton - size: 24 x 38 x 19 cm

Weight: 1.9 kg



Colours available



Packaging

Carton with 1000 seals Carton size: $29 \times 20 \times 15$ cm

Weight: 7.0 kg



Lohnergasse 1a - 1210 Wien
[T]: +43 1 4791175 - [F]: +43 1 4709051

www.margreiter-technik.at

Büro Deutschland: Hans Hilscher GmbH.

Schlierseer Straße 11 - 83735 Bayrischzell [T]: +49 8023 9399950 - [F]: +49 8023 9399951 www.margreiter-technik.de

Plastic strap seals]

Plastic strap seal "Ring"

The plastic strap seal "Ring $215^{\prime\prime}$ is a plastic security seal with a secure locking mechanism.


This seal has a calender function offerint 12 numbers for each month and 31 numbers for the days.

Size:

Lenght: 215 mm Width: 7 mm Label: 20x40 mm

Imprint:

- · Laser print
- · Sequenced number up to 15 digits
- · Barcode possible
- Customised up to 20 characters



Security seals



Colours available



Packaging

Carton with 1000 seals Strips of 10 seals Carton - size: 37 x 24 x 23 cm

Weight: 2.5 kg



Lohnergasse 1a - 1210 Wien [T]: +43 1 4791175 - [F]: +43 1 4709051 www.margreiter-technik.at

Büro Deutschland: Hans Hilscher GmbH.

Schlierseer Straße 11 - 83735 Bayrischzell
[T]: +49 8023 9399950 - [F]: +49 8023 9399951

www.margreiter-technik.de

Cable seal

Cable seal "Superlock"

The security seal "SuperLock" is a very safe and easy to handle security seal. The seals can be adjusted by inserting the steel cable in the holes and then pulling it out.

This adjustable security seal is available in various diameters and standard lengths. The length of the cable can be customised. Our cable seal "SuperLock" can only be removed with additional tools.

In 3.5 mm diameter, this security seal is ISO/PAS 17712 approved and offers a very high security standard.

Applications:

Post bags, Forwarding agencies, international freight containers, trolleys, trains, chemical industry, money bags and many more

Art.Nr.	Length	Cable - diameter
GE Super180-1	180 mm	1.5 mm
GE Super180-2	180 mm	2.5 mm
GE Super200-3	200 mm	3.0 mm
GE Super 200-3.3	250 mm	3.5 mm - ISO/PAS 17712
GE Super250-5	250 mm	5.0 mm

Imprint

- Laser printing
- · Consecutive numbering up to 15 digits
- Barcode possible
- Customised up to 20 characters on one line
- Logos available on request

Dimensions - SuperLock 5x250 mm 0.19'x9.8" 0.10'x7'' 0.06'x7''' SEALED 01234567


Packaging - SuperLock **Diameter** Weight: Carton - size: **Quantity / Box** 1.5 mm 8.6 kg 30 x 28 x 15 cm 500 pcs. $30 \times 28 \times 15 \text{ cm}$ 2.5 mm 9.5 kg 500 pcs. 3.0 mm 17.5 kg 40 x 30 x 18 cm 500 pcs. 13.0 kg 40 x 30 x 18 cm 250 pcs. 3.5 mm 5.0 mm 17.0 kg 40 x 30 x 18 cm 250 pcs.









Security seals









Lohnergasse 1a - 1210 Wien [T]: +43 1 4791175 - [F]: +43 1 4709051 www.margreiter-technik.at

Büro Deutschland: Hans Hilscher GmbH.

Schlierseer Straße 11 - 83735 Bayrischzell [T]: +49 8023 9399950 - [F]: +49 8023 9399951 www.margreiter-technik.de

Container seal - Bolt lock seal

Security seals

Bolt lock seal "Poseidon" - ISO/PAS 17712:2010

Our container seal "Poseidon" is a ISO/PAS 17712:2010 certified seal offering the highest security level.

The inner diameter of the metallic bolt has 8.0 mm, the lenth of the bolt is about 74 mm. The patented design is characterised by two metal tabs attached to the bolt which slot the bolt securely into the closure canal. Any taampering attempt will damage the seal leaving it irreparable.

Customisation - Imprint

- Laser Print
- Consecutive number up to 15 digits
- Available with barcode or data matrix
- in one line Cu-










Colours available



Packaging Poseidon

250 Plomben im Karton Abmessung: 32 x 25 x 15 cm

Gewicht: 16 kg


Containerplombe "Snapper"

Our container seal "Snapper" is a high security bolt lock seal. This seal is ISO/PAS 17712:2013 certified and meets the highest security requirements. This seal is also accepted in the UK, USA, Canada and Mexico.

Our bolt lock seal is available in many different colours and can be customised up to 20 letters in one line. This seal also offers a barcode option. Diese Plombe ist in vielen Farben erhältlich.

Applications:

Freight containers, trucks, forwarding agencies








31 mm









Lohnergasse 1a - 1210 Wien [T]: +43 1 4791175 - [F]: +43 1 4709051 <u>www.margreiter-technik.at</u>

Büro Deutschland: Hans Hilscher GmbH.

Schlierseer Straße 11 - 83735 Bayrischzell
[T]: +49 8023 9399950 - [F]: +49 8023 9399951

www.margreiter-technik.de

[Meter seal]

Meter seal "Twist"

Our meter seal "Twist" is a completely plastic seal with incorporated sealing wire. This seal has a transparent body for better control of the closing mechanism.

To close the seal, simply turn the handle of the wheel. Once closed, please snap off the handle.

For more flexibility, this seal can also be supplied without incorporated sealing wire.

Imprint:

- Laser print
- · Consecutive numbering up to 15 digits
- · With barcode option
- · Customised up to 20 characters on one line
- · Logos available on request





Meter seal "PSW"

The security seal "PSW" is a very safe and most easy to use meter seal. Once positioned and closed, there is no possibility to open it again.


This seal can be delivered with various sealing wires. The standard length is 200 mm. For even more flexibility, this meter seal can also be supplied without sealing wire.


Imprint

- Hot print
- Consecutive numbering up to 7 digits
- · Customised up to 20 characters on one line
- Logo available on request

Size:

Length: 13 mmHeight: 27 mmWidth: 9 mm





Security seals





Packaging

Carton with 1000 pcs.
Bags of 100 pieces numbered
Carton size: 40 x 40 x 15 cm

Weight: 4.0 kg



Colours available



Packaging PSW

Carton with 1000 seals Seals packed in boxes with 100 pieces Carton - size : 40 x 22 x 15 cm

Gewicht: 5.0 kg



Lohnergasse 1a - 1210 Wien [T]: +43 1 4791175 - [F]: +43 1 4709051

www.margreiter-technik.at

Security seals


Büro Deutschland: Hans Hilscher GmbH.

Schlierseer Straße 11 - 83735 Bayrischzell [T]: +49 8023 9399950 - [F]: +49 8023 9399951 www.margreiter-technik.de

Meter seals]


Security seal "Grisu" for fire extinguishers

Our security seal "Grisu" is a cheap and easy to handle security seal for fire extinguishers. You simply fix this seal in the drilling of the security pin. This seal is very favourable and it is available in various colours. In addition, you can customize this seal with a sealing plier using your company logo or any other information.



Properties:

Length: 48 mm Diameter: 8.0 mm Packaging: 1000 pieces



The security seal "Crimp" is a self locking seal completely made of aluminium. This seal can be ised with security wire, sealing wire or strings.

This seal can be customised by embossing. A sequential number of up to 6 digits is possible.


Size:

- Length: 37 mm (opened) 19 mm (closed)
- Width: 5 mm

Imprint:

- Metallic engraved
- Sequential numbering up to 6 digits
- Customised up to 10 characters on one line
- Logo: available on request

GEÖFFNET 37 mm **+ 8 mm +** SIGILLO **GESCHLOSSEN (Seite A)** E **GESCHLOSSEN (Seite B)** &IGILLO 123450








Packaging Crimp

Carton with 5000 pieces Bags to 1000 seals







Security seals

Lohnergasse 1a - 1210 Wien [T]: +43 1 4791175 - [F]: +43 1 4709051 www.margreiter-technik.at


Büro Deutschland: Hans Hilscher GmbH.

Schlierseer Straße 11 - 83735 Bayrischzell [T]: +49 8023 9399950 - [F]: +49 8023 9399951 www.margreiter-technik.de

Security seals]

Sealing plier "Cralu"

The sealing plier "Cralu" closes the aluminium seals "Carlu" by rolling the tongue. It is mainly used to close boxes or identify meters.





Sealing plier Cralu - dimensions

230 x 170 mm

Security seal "Cralu"

The security seal "Cralu" is a secure and extremely economical seal. Once the flag has been pressed around the wire, it is impossible to reopen the seal without destroying it.

The security seal "Cralu" is available in 4 different sizes. It supports any kind of sealing wire and is available in 4 colours.

Imprint:

- Sequenced numbering up to 6 digits
- Customised with up to 12 characters
- Company logo: on request










120



130







Art: 100

110









Lohnergasse 1a - 1210 Wien [T]: +43 1 4791175 - [F]: +43 1 4709051 <u>www.margreiter-technik.at</u>

Büro Deutschland: Hans Hilscher GmbH.

Schlierseer Straße 11 - 83735 Bayrischzell [T]: +49 8023 9399950 - [F]: +49 8023 9399951 www.margreiter-technik.de

Meter seals


Meter seal "Anchor C"

The security seal "Anchor C" is a transparent plastic seal the permits the integrity control of the locking mechanism.

Just insert the sealing wire in the holes and push the "anchor" part in the hole. Press the seal until it is closed. If it clicks, the closure is guaranteed.

Imprint:

- Laser print
- Sequenced nubmering up to 15 digits
- Also available wth barcode
- · Customised up to 20 characters on one line
- · Logos available on request



Security seals



Colours available



Packaging Anchor C

Carton with 5000 seals Carton size: 56 x 24 x 46 cm

Weight: 10.0 kg


Sicherheitsplombe "Anchor F"

Our meter seal "Anchor F" is very compareable as our seal Anchor C. In contrast to the Anchor "C", this seal has a larger body so more information can be displayed and the seal itself is more noticeable.

This meter seal can be delivered with special logos, barcodes and much more inforamtion.

Imprint

- · Laser print
- Consecutive numbering up to 15 digits
- With barcode available
- Customised up to 20 characters / line
- Logo print on request





Colours available



Packaging Anchor Flag

Carton with 4000 seals Carton - size: 56 x 24 x 46 cm

Weight: 12.0 kg



Lohnergasse 1a - 1210 Wien [T]: +43 1 4791175 - [F]: +43 1 4709051 <u>www.margreiter-technik.at</u>

Büro Deutschland: Hans Hilscher GmbH.

Schlierseer Straße 11 - 83735 Bayrischzell
[T]: +49 8023 9399950 - [F]: +49 8023 9399951


www.margreiter-technik.de

[Drum seals]

Security seal - "Drum L"

The security seal "Drum L" is a very simple seal with a very low security level. Just insert the "arrow" in the appropriate hole and push with the finger.


This seal cannot be customised.



Security seals



Colours available



Packaging

Carton with 10.000 seals Carton - size: 60 x 40 x 40 cm

Weight: 10 kg

Drum seal "Drum S"

This security seal is specially designed for barrels and is very easy to use. Just insert the arrow in the appropriate hole. Position the closing capsula corresponding to the arrow and push the two parts together with your fingers.


This seal offers a higher security level than the Drum L as the seal can be customised and has a sequential number on it.

Imprint

- Laser printing
- Consecutive number up to 15 digits
- Customised up to 20 characters in one line
- · Logo available on request
- Barcode possible









Colours available



Packaging Drum S

Carton with 3000 seals Carton - Size: 40 x 40 x 15 cm

Weight: 4.5 kg



Lohnergasse 1a - 1210 Wien [T]: +43 1 4791175 - [F]: +43 1 4709051 <u>www.margreiter-technik.at</u>

Büro Deutschland: Hans Hilscher GmbH.

Schlierseer Straße 11 - 83735 Bayrischzell [T]: +49 8023 9399950 - [F]: +49 8023 9399951 www.margreiter-technik.de

Padlock seal]

Security seals

Padlock seal Lock160

Our padlock seal "Lock160" has a plstic body and metal closing ring. Its construction is extremely strong and is most suitable for airlines.


Dimension:

Diameter metal closing ring: 4.0 mm

Length: 25 mm Body: 32x20 mm

Imprint - Customisation

- Laser Printing
- · Sequenced numbering up to 15 digits
- Barcode possible
- · Customised up to 20 characters in one line
- · Logos available upon request





Colours available



Packaging Padlock Lock160

Carton with 1000 seals Carton - size: 50 x 37 x 15 cm

Weight: 18.3 kg

Padlock seal "Lock180"

The padlock seal "Lock 180" is very suitable for airlines, catering and duty-free trolleys as this robust seal with plastic body and 1.0 mm iron wire is very lightweight.


Dimensions:


Diameter metal closing ring: 1.0 mm

Length: 98 mm Body: 22x35 mm

Imprint - Customisation

- Laser Printing
- Sequenced numbering up to 15 digits
- · Barcode possible
- · Customised up to 20 characters in one line
- · Logos available upon request





Colours available



Packaging - Lock180

Cartonwith 1000 seals Carton - size: 36 x 27 x 18 cm

Weight: 4.3 kg



Büro Deutschland: Hans Hilscher GmbH.

Schlierseer Straße 11 - 83735 Bayrischzell [T]: +49 8023 9399950 - [F]: +49 8023 9399951 www.margreiter-technik.de

Tamper evident carton sealing tape

Self voiding products are designed for packaging and paper applications where an additional layer of security is needed when sealing boxes and packages.

Every attempt to remove the tape will leave the message "VOID" on the box giving warning of violation. The tamper evident message is noticeable irreversible once revealed.

Tamper evident tape



Tamper evident carton sealing tape - Premium

Our tamper evident carton sealing tape "Premium" is a highest quality tape. It is a high performance acrylic adhesive tape with excellent adhesive grab and total voiding when opened on most paper and carton surfaces. When peeled, the tape will reveal a hidden VOID message by depositing a layer of itself on the applied surface. The VOID message cannot be reversed.

How to apply: The surface should be dry, dust and grease free and thoroughly clean. Avoid touching the exposed adhesive surface of the tape. The adhesive used on these tapes are pressure sensitive, plesae ensure sufficient pressure is applied to the tape.

This tamper evident tape comes on a 3'' (76 mm) core suitable for each standard tape dispenser.

Tamper evident tape - VOID premium - Characteristics:

Width: 48 mm Length: 50 meter Colours: brown, blue, red

lidth: 48 mm

Tamper evident carton sealing labels - Premium

Our tamper evident carton sealing labels "Premium" is a highest quality tape. It is a high performance acrylic adhesive tape with excellent adhesive grab and total voiding when opened on most paper and carton surfaces. When peeled, the tape will reveal a hidden VOID message by depositing a layer of itself on the applied surface. The VOID message cannot be reversed.


How to apply: The surface should be dry, dust and grease free and thoroughly clean. Avoid touching the exposed adhesive surface of the tape. The adhesive used on these tapes are pressure sensitive, plesae ensure sufficient pressure is applied to the tape.

Each label has a perforation every 150 mm so you can tear appart the single labels easily. Each label has its own unique code that will never be duplicated.

Tamper evident carton sealing tape - VOID premium - Characteristics

Label size: 148x48 mm Width: 48 mm

Available colours:



Available colours:





Lohnergasse 1a - 1210 Wien [T]: +43 1 4791175 - [F]: +43 1 4709051 www.margreiter-technik.at

Büro Deutschland: Hans Hilscher GmbH.

Schlierseer Straße 11 - 83735 Bayrischzell [T]: +49 8023 9399950 - [F]: +49 8023 9399951

www.margreiter-technik.de

Tamper evident carton sealing tape]

Tamper evident carton sealing tape - Partial

Tamper evident carton sealing tapes partial transfer are designed for packaging and paper applications where an additional layer of security is needed.

In contrast to total transfer tapes, these tapes can also be used on some plastic foil. Upon attempted entry to package, the VOID message will appear giving warning of violation.

Tamper evident carton sealing tape - Partial transfer -**Characteristics:**

Width: 50 mm Length: 50 Meter

Available text:

OPENED - OPENED: red VOID OPENED: red and blue

Tamper evident tape



