


## [ Staple ]

Staples are used in almost any industry for joining or binding materials together. Our range comprises a wide variety of different staples from various nameful manufacturers giving you the opportunity to purchase your staples to real wholesale prices even for smaller quantities.

In the 1960s, our company started to distribute staples "Elastic" later "Gutenberg Elastic" and "Rapid Isaberg". Due to the big success, we enlarged our range by many well-known manufacturers as Kihlberg, Senco, Bostitch, BeA and many more.

For better navigation, we summarised our range into two categories – the type of staple and the manufacturer of the staple. Each category contains various staples, differing in crown width, material thickness and leg length. The most popular staples are described in detail. For all the other staples, you will only find the "hard facts" – crown width, leg lengths and thickness.

## Staples



### Applications

Staples are used in almost any industry, where two materials have to be fastened. The applications are countless, some of the standard applications are:

- Production of sales packaging
- Closure of cardboard boxes and corrugated cardboard
- Applications in the furniture industry
- Fixation of panels
- Carpenter, insulation and roofing works
- Applications in the automotive industry
- Fixation of labels in the textile industry
- Fixation of labels for transport or storage
- Office applications and copy shops

### Full range of staples

As mentioned before, we have a large range of different staples in our range. Most staples are supplied off-the-shelf, some staples are made exactly to your requirements.

Please let us know the following details of your staple:

- Manufacturer / brand
- Crown width
- Wire thickness
- Wire width
- Leg length
- Material


### Advantages

- + Large product range
- + Various brands and manufacturers
- + Different materials
- + White box packaging
- + Favourable wholesale prices

### Brands & Manufacturer

- Arrow
- Bates
- BeA
- Bostitch
- Elastic
- Haubold
- Isaberg
- Kihlberg
- Max
- Nagel
- Prebena
- Senco
- u.a.

### Staples - dimensions



## [ Staples ]

There is a huge number of different staples available. In many cases, only the name or number differs, the size, crown width and wire dimensions are nearly identical.

Below you will find a summary of the most popular and common staples available.



	Rapid / Elastic	BeA	Bostitch	Prebena	Senco	Bosch	Kihlberg	Arrow	Atro	Holzher	Haubold	Novus	Heftzange	Tacker	Klammernagler	Deckelhefter	Stiftnagler	Stauchkopfnagler
53	53	-	A/53	-	-	53	-	-	-	-	-	A/53	X	X	-	-	-	-
140	140 / 11	-	G/11	-	-	57	-	T50	-	-	-	-	-	X	X	-	-	-
13 / 37	13 / 37	37	H/37	VZ	-	59	-	-	-	-	-	H	-	X	-	-	-	-
73	73	-	STH 5019	PB	-	-	J34	-	-	-	-	-	X	-	-	-	-	-
Seco A	Seco A	-	-	-	-	-	682	-	-	-	-	-	X	-	-	-	-	-
Seco B	Seco B	-	-	-	-	-	-	-	-	-	-	-	X	-	-	-	-	-
80	-	80 / 380	86	A	AT	-	680	-	80	-	800	-	X	X	X	-	-	-
50	-	95	SB 5019	D / P	F	-	-	-	-	A	900	-	X	-	X	-	-	-
7C - 71	-	71	72	VZ	C	-	670	-	7 / 72	-	7100	-	-	X	X	-	-	-
90	-	90	-	E	L	-	781	-	90	C	6000	-	-	-	X	-	-	X
92	-	92	SI 5035	H	-	-	664	-	92	E	-	-	-	-	X	-	-	-
SG	-	-	-	G	M	-	782	-	-	-	-	-	-	-	X	-	-	-
G	-	14 / 155	B100 - S5	L	N / G5562	-	783	-	100	G	-	-	-	-	X	-	-	-
SQ	-	180	-	Q	Q	-	-	-	18NC	-	-	-	-	-	X	-	-	-
97B	-	97	-	O	W	-	690	-	-	-	-	-	-	-	X	-	-	-
B7	-	-	-	Z	-	-	-	-	-	G / 3414	KG700	-	-	-	X	-	-	-
ATW	-	140	S2	WC	-	-	-	-	16WC	-	-	-	-	-	X	-	-	-
SNW	-	-	-	WS	P / W5562	-	784	-	-	-	-	-	-	-	X	-	-	-
3430	-	-	-	-	-	-	-	-	-	F / 3430	-	-	-	-	X	-	-	-
4000	-	-	-	TB	W	-	-	-	40 / 93	-	4000	-	-	-	X	-	-	-
JK560	-	A - Packfix A	A	B	XB	-	560	-	-	-	BL	-	-	-	-	X	-	-
JK561	-	-	C	R	-	-	561	-	-	-	KL 561	-	-	-	-	X	-	-
JK557	-	AR	AR-1	-	-	-	557	-	AR / GR	-	-	-	-	-	-	X	-	-
33	33	-	-	-	-	-	-	-	-	-	-	-	X	-	-	-	-	-
43	43	-	-	-	-	-	-	-	-	-	-	-	X	-	-	-	-	-
63	63	-	-	-	-	-	-	-	-	-	-	-	X	-	-	-	-	-
Elju	Elju	-	-	-	-	-	-	-	-	-	-	-	X	-	-	-	-	-
Juwel	Juwel	-	-	-	-	-	-	-	-	-	-	-	X	-	-	-	-	-
Juwelette	Juwelette	-	-	-	-	-	-	-	-	-	-	-	X	-	-	-	-	-
HK 24 / 44	24 / 44	-	-	-	-	-	-	-	-	-	-	-	X	-	-	-	-	-
HK 26 / 66	26 / 66	-	-	-	-	-	-	-	-	-	-	-	X	-	-	-	-	-
Eljif	Eljif	-	-	-	-	-	-	-	-	-	-	-	X	-	-	-	-	-
A64	-	S710 - 717	106	AL	SZ	-	-	-	-	0.65	ST 06	-	-	-	-	-	X	-
GN	8/300	SK300	BT13	J	AX 13	47 / 48	512	-	-	1,0 x 1,25	SKN 12	E	-	-	-	-	-	X
FN	16	SK4	SB16	N	-	-	516	-	-	1,6	SKN 16	N	-	-	-	-	-	X

# [ Staples ]

Heftklammern werden von unterschiedlichsten Herstellern und Händlern angeboten, oft haben die gleichen Klammern allerdings unterschiedliche Namen. Das erschwert die Suche nach verfügbaren Klammern.

In dieser Tabelle können Sie anhand der Rückenbreite und Drahtstärke die richtige Klammer ermitteln.



Heftklammer	Rückenbreite	Drahtstärke	Drahtbreite	Innenbreite	Schenkelängen	verzinkt	verkupfert	verzinkt geharzt	Edestahl	Edestahl geharzt	Aluminium	Stahl mit Bauzulassung	Edestahl Bauzulassung
Fasco 97B - BeA 97	4,60	0,70	0,90	3,20	6 - 30 mm			X					
Fasco 4000 - Senco W	4,90	0,70	0,90	3,50	8 - 25 mm	X		X					
Fasco 90 - BeA 90	5,70	1,05	1,25	3,50	12 - 40 mm			X		X	X		
Fasco 92 - BeA 92	8,90	1,00	1,25	6,90	8 - 40 mm			X		X			
Fasco 7C - BeA 71	9,00	0,60	0,75	7,80	6 - 16 mm	X			X				
Fasco SG - Senco M	10,10	1,00	1,25	8,10	10 - 38 mm			X		X			
Eliu	10,10	0,50	0,70	9,00	5 - 7 mm	X							
Rapid 13 - Rapid 37	10,60	0,50	0,80	9,50	6 - 16 mm	X			X		X		
Rapid 11 - Rapid 140	10,70	0,50	1,30	9,50	6 - 18 mm	X			X		X		
Rapid 33 - Sitex 33	10,70	0,30	0,40	10,00	6 - 8 mm	X							
Rapid 43	10,80	0,30	0,40	10,10	6 - 8 mm	X							
Rapid 73	11,30	0,50	1,30	9,50	6 - 12 mm	X							
Fasco Q - BeA 180	11,30	1,70	1,90	7,80	38 - 63 mm			X				X	X
Fasco B7 - Haubold KG	11,30	1,40	1,60	8,50	14 - 64 mm			X		X		X	X
Rapid 63	11,30	0,40	0,60	10,30	6 - 10 mm	X							
53 - Rapid 53	11,40	0,60	0,70	10,10	6 - 16 mm	X			X		X		
Fasco G - BeA 14 / 155	11,60	1,40	1,60	8,80	16 - 64 mm			X		X		X	X
Elijif	12,00	0,50	3,40	11,10	16 mm	X							
ACE Clipper 700	12,40	0,45	0,50	11,90	6 mm	X							
SeCo A	12,60	0,60	0,70	11,30	8 - 16 mm	X							
SeCo B	12,60	0,70	1,30	11,30	8 - 16 mm	X							
Fasco 80 - BeA 380	12,70	0,65	0,95	11,20	6 - 18 mm	X			X		X		
Fasco 50 - BeA 95	12,70	0,55	1,25	11,60	6 - 16 mm	X			X				
Holzher F - 3430	20,50	1,00	2,25	18,50	12 - 41 mm			X					
Fasco ATW - BeA 140	25,00	1,40	1,60	22,20	14 - 50 mm			X					
Fasco SNW - Senco P	26,40	1,40	1,60	23,60	22 - 50 mm			X					
<b>Kartonklammern</b>													
JK 560 - Atro 35	35,00	0,90	2,30	32,90	15 - 22 mm		X						
JK 561 - Atro 32	32,00	0,90	1,90	30,10	15 - 22 mm		X						
JK 557 - AR-1	35,00	0,90	2,30	30,10	15 - 22 mm		X						
<b>Büroheftklammern</b>													
Juwel	7,00	0,40	0,70	6,00	4 mm	X							
Juwelette	7,00	0,30	0,40	6,20	4 mm	X							
24 - 44	12,80	0,50	0,70	11,80	6 - 8 mm	X			X				
26 - 66	12,80	0,40	0,50	11,80	6 - 8 mm	X							

## [ Staple Nr. 53 ]


## Staples

### Applications

The staple 53 is a most popular fine wire staple for various applications. Well known in the packaging industry, this staple is also very often the choice of DIY markets and users. Our staple No. 53 is available in many different materials and leg lengths.

### Dimensions

Crown width: 11.4 mm  
Wire strength: 0.6 mm  
Wire width: 0.7 mm  
Inner width: 10.1 mm  
Leg length: 6 - 8 - 10 - 12 - 14 - 16 mm



### Which stapler does fit our staple?

Rapid - Elastic	Novus	Rocafix	Esco	BeA	Stanley - Bostitch	Arrow
Simplex A	Novus J-01	MS03	Esco 10	Regur 53	ST10	JT-21 CM
Zangenhefter 53	Novus J-02	MS05	Esco 20	Regur 45	ST14	JT-21 M
Rapid 53	Novus J-08	MS10	Esco 30	Regur ET53	TR45	T-27
Rapid 153	Novus J-09	MS20	Esco 40		Hobby 8	
Rapid 253	Novus J-16	MS30	Esco 90		Pro 8	
Rapid 353	Novus J-18	MS40	Esco 100		Vario 14	
Raid 453	Novus J-19	MS5100	Compacta 530		HD14	
Rapid Derby	Novus J-102	MS5110	Derby 530			
Rapid ESN 530	Nvus J-105	ES230				
Rapid PS 6-16	Novus J-165	HS21				
Rapid Compacta	Novus J-316					

### Synonym

- Staple type 3
- Staple type 530
- Staples type A

### Brands and manufacturer

- AEG (53)
- Black & Decker (A 5756 - 5774)
- Bosch (53-10)
- Bostitch / Bukama (180)
- Fixit
- Ironside
- KWB (053)
- Lux (40-47, 30-37)
- Maxicraft (C)
- Metabo (10)
- Piranha (1)
- Rocafix (3)
- Romeo Maestri
- Stanley - Bostitch (A/53)
- Wolfcraft (053)

### Article number

- E 70610 – staple 53/6 galvanised galvanised
- E 70653 – staple 53/6 aluminium
- E 70700 – staple 53/6 high-grade steel V2A
- E 70718 – staple 53/8 galvanised galvanised
- E 70785 – staple 53/10 galvanised galvanised
- Other finishings: on inquiry

### Packaging unit

1 box = 5000 staples  
1 Wholesale packaging = 100 boxes  
(500,000 staples)

### Material

- Iron galvanised
- German silver
- Rustproof steel
- Aluminium
- Steel superhard

## [ Staple Nr. 140 - Nr. 11 ]

## Staples

### Applications

Our staple number 140 is identical with the Rapid 11 staple. This very common staple is used mainly in tacking guns and hammer tackers. The primary applications are the construction industry, roofing sheets, insulation work and insulation foil. But also in the industry, this staple is used to fasten soft materials like cardboard, corrugated board, carton or similar products on wood.

### Dimensions

Crown width: 10.7 mm  
Wire strength: 0.5 mm  
Wire width: 1.3 mm  
Inner width: 9.5 mm  
Leg length: 6 - 8 - 10 - 12 - 14 - 16 - 18 mm



### Which stapler does fit our staple?

Rapid - Elastic	Novus	Regur	Arrow	Stanley - Bostitch	Rapesco	Romeo Maestri
Rapid 14	Novus J-08	Regur FT 10	CT 50	TR 100	Z-140	EHB T 50
Rapid 34	Novus J-09	Regur Takkurat 44	ET 50	TR 200	A-11	T 50
Rapid 33	Novus J-16	Regur FB14	ETC 50	TRE 500	HD-140	T 50E
Rapid 64	Novus J-19		ETF 50BN	Pro 14	140 EL	
Hammertacker 11	Novus J-105	Hammertacker:	ETF 50PBN	HammerTacker		
Hammertacker 54	Hammertacker 31	Regur 11	ETN 50	TGD		
Rapid MS840		Regur 14	HT 50	T 200		
Rapid E-Tac		Regur 54	HTX 50	TR 100 M2		
Rapid ESN114		Regur 20	T 50			
		Regur 28	T 55			
		Regur MP28	T 7000			

### Synonym

- Staple type 4 (Rocafix)
- Staple type g (Novus)
- Staple type 11 (Paslode)
- Staple MW T50 (Prebena, Arrow)
- Staple ZH A11 (Senco)
- Staple 671 (Kihlberg)

### Article number

- E 14006 CNK staple 140/6 - 11/6 galvanised
- E 14008 CNK staple 140/8 - 11/8 galvanised
- E 14010 CNK staple 140/10 - 11/10 galvanised
- E 14012 CNK staple 140/12 - 11/12 galvanised
- E 14014 CNK staple 140/14 - 11/14 galvanised
- Other finishings or sizes: on request

### Brands and manufacturer

- Arrow (T50)
- Bosch (57)
- Esco (11)
- KWB (054)
- Lux (80-84)
- Maxicraft (D)
- Piranha (5)
- Rapid (140)
- Rocafix (4)
- Stanley G/11
- Wolfcraft (050)

### Packaging unit

- 1 box = 5000 staples 140
- 1 box = 5000 staples 11
- 1 Wholesale packaging = 100 boxes (500,000 staples)

### Material

- Iron galvanised
- High-grade steel V2A
- German silver
- Aluminium



## [ Staple Nr. 37 - Nr. 13 ]


## Staples

### Applications

The staple 37 is ident with the staple 13, both brand names are terms used within the industry. This staple is very popular for DIY applications but also for many industrial applications, where rather harder materials are fastened. This fine wire staple is mostly used in combination with staple guns and tackers, many manufacturers offer stapling devices for this staple.

### Dimensions

Crown width: 10.6 mm  
Wire strength: 0.5 mm  
Wire width: 0.8 mm  
Inner width: 9.5 mm  
Leg length: 6 - 8 - 10 - 12 - 14 - 16 mm



### Which stapler does fit our staple?

Rapid - Elastic	Novus	Rocafix	Prebena	Rapesco	Regur
Rapid 13	Novus J-08H	MS100	HH VZ10	813-D	Regur 23
Rapd 23	Novus J-09H	MS110	HP VZ08	813-T	
Rapid 33	Novus J-16H			813-P	Hammertacker
Rapid 83	Novus J-19H			913	Regur 19
Rapid 19	Nvus J-021H			13 EL	
Rapid MS 813	Novus J-105H			Z1 - P	
Rapid ESN 113				Z2 - P	
Rapid 213					

### Material

- Iron galvanised
- High-grade steel V2A
- Rustproof steel
- Aluminium

### Synonym

Nr. 37 (Novus)  
Nr. 37 (BeA)  
Nr. 37 (FixFast)  
Typ H (Novus)  
Nr. 59 (Bosch)  
Nr. 19 (Esco)  
Nr. 059 (KWB)  
Nr. 50-56 (Lux)  
Typ N (Maxicraft)  
Nr. 7 (Piranha)  
Nr. 13 (Rapid)  
Nr. 15 (Rocafix)  
Typ H/37 (Stanley Bostitch)  
Nr. 13 (Wolfcraft)  
VZ (Prebena)

### Article number

- E 13006 CNK staple 37/6 - 13/6 galvanised
- E 13008 CNK staple 37/8 - 13/8 galvanised
- E 13010 CNK staple 37/10 - 13/10 galvanised
- E 13012 CNK staple 37/12 - 13/12 galvanised
- E 13014 CNK staple 37/14 - 13/14 galvanised
- E 13016 CNK staple 37/16 - 13/16 galvanised
- Other finishings: on request

### Packaging unit

- 1 box = 5000 staples
- 1 Wholesale packaging = 100 boxes (500,000 staples)

## [ Staple Nr. 73 ]

## Staples

### Applications

The staple 73 is a flat wire staple for many industrial applications, especially for cardboard, cardboard libs, jute bags, paper bags and corrugated fiberboards.

### Dimensions

Crown width: 11.3 mm  
Wire strength: 0.5 mm  
Wire width: 1.3 mm  
Inner width: 9.5 mm  
Leg length: 6 - 8 - 10 - 12 mm



### Which stapler does fit our staple?

Rapid - Elastic	Regur
Simplex B	Regur 31 HD
Rapid 31 HD	
Zangenhefter 73	
Zangenhefter 73L	

### Article number

- E 70904 – staple 73/6 galvanised
- E 70920 – staple 73/8 galvanised
- E 70947 – staple 73/10 galvanised
- E 80200 – staple 73/12 galvanised
- Other finishings: on inquiry

### Packaging unit

1 Box = 5000 staples  
1 Wholesale packaging = 100 boxes  
(500,000 staples)

### Material

- Iron galvanised
- High-grade steel V2A
- Rustproof steel
- Aluminium

### Brands and manufacturer

- Kihlberg (J34)
- Prebena (PB)

## [ Staple SeCo A - BeA 72 ]

### Staples

#### Applications

The staple SeCo-A is also known as the "carpet staple". This staple is available for our stapling plier Senior A-16 and its pneumatically operated model Senior A-16/L. This staple is suited to fasten harder materials like plastic, blister packaging, cardboards, leather, textiles and even carpets. The usage in carpet cleaning companies is wide spread world wide.

#### Dimensions

Crown width: 12.6 mm  
 Wire strength: 0.6 mm  
 Wire width: 0.7 mm  
 Inner width: 11.3 mm  
 Leg length: 8 - 10 - 12 - 16 mm


#### Which stapler does fit our staple?

##### Rapid - Elastic

Stapling plier Senior A-16  
 Stapling plier Senior A-16 / L

##### Elastic - no longer available

Stapler Coloss 16  
 Hammertacker Ko-A



#### Article number

- E 71013 staple SeCo A-8
- E 71021 staple SeCo A-10
- E 71030 staple SeCo A-12
- E 71048 staple SeCo A-16
- Other finishings: on request

#### Packaging unit

1 box = 5000 staples SeCo A/8 - A/16  
 1 Wholesale packaging = 50 boxes  
 (250,000 staples)

#### Synonym

Staple 72 (BeA)  
 Staple AB (Prebena)

## [ Staple SeCo B ]

### Staples

#### Applications

The staple SeCo B is a flat wire staple and is used primarily for closing cardboard boxes, corerugated board, cartons, carton lids, jute bags, paper bags and similar materials. Due to the thickness, this staple allows very strong fixations without tearing. Our staple SeCo B is used for our stapling plier Senior B 16 and its pneumatically operated model Senior B16/L.

#### Dimensions

Crown width: 12.6 mm  
 Wire strength: 0.6 mm  
 Wire width: 1.3 mm  
 Inner width: 11.3 mm  
 Leg length: 8 - 10 - 12 - 16 mm

#### Which stapler does fit our staple?

##### Rapid - Elastic

Stapling plier Senior B-16  
 Stapling plier Senior B-16 / L

#### Article number

- E 71110 staple SeCo B-8
- E 71129 staple SeCo B-10
- E 71137 staple SeCo B-12
- E 71145 staple SeCo B-16
- Other finishings: on request

#### Packaging unit

1 box = 5000 staples SeCo-B / 682  
 1 Wholesale packaging =  
 50 boxes (250,000 staples)

#### Material

- Iron galvanised
- Other finishings: on request

#### Synonym

Staple 682 (BeA)  
 Staple AK (Prebena)



## [ Staple Nr. 80 ]

## Staples

### Applications - Staple 80

Our staple number 80 is a very popular and common staples which is used in the furniture, wood processing industry but also for upholstery and basketry work. This staple is very widespread and known by many names from different manufacturers.

### Dimensions

Crown width: 12.7 mm  
Wire strength: 0.65 mm  
Wire width: 0.95 mm  
Inner width: 11.2 mm  
Leg length: 6 - 8 - 10 - 12 - 14 - 16 mm

### Which staplers fit this staple?

Fasco	Prebena	Senco	Kihlberg	BeA	Diverse	Regur
Stapling plier	Pneumatic tacker	Pneumatic nailer	Stapling plier	Pneumatic nailer	ME 80	Heftzange 68
F1B 80-16	1XR-A16	SFW08	JK10-380	BeA 380/16 - 420	ACE 80	
F1B 80-16 LN	1M-A16-S30	SFW10XP	JK20-680	BeA 380/16-429L	Rocama 16	
F1B 80-16 Aut	1M-A16-LN50	SFT10	JK20-680 FN	BeA 380/14 - 450	LKT 80	
F1B 80-16 M	1M-A16 NH		JK20 A680	BeA 380/25-559L	MEK 80	
			JK20 A680L			

### Finishing - Material

Iron galvanized  
Stainless steel  
Aluminium

### Other brand names

- Atro 80 - BeA 80 - BeA 380  
- Senco AT - Prebena A - Bostitch 86  
- Kihlberg 680 - Haubold 800

## [ Staple Nr. 50 ]

## Staples

### Applications - Staple 50

The staple Nr. 50 is a flat wire staple which is used primarily in the packaging industry but also for insulation works and fastening of foils.

### Dimensions

Crown width: 12.7 mm  
Wire strength: 0.55 mm  
Wire width: 1.25 mm  
Inner width: 11.6 mm  
Leg length: 6 - 8 - 10 - 12 - 14 - 16 mm

### Which staplers fit this staple?

Fasco	Prebena	Senco	Duo-Fast	BeA	Diverse	Stanley - Bostitch
Stapling plier	Pneumatic stapler	Pneumatic nailer	Stapling plier	Pneumatic stapler	ACE 50	Pneumatic stapler
F1B 50-16	1M-D16	SFW10XP	CS-500	BeA 95/16-418	Jr Duo Mod. 110	P51-5B-E
F1B 50-16 LN			EWC 5018A	BeA 95/16-414L	Rocama 14	
F1B 50-16 Aut			HAT-550		Mart 50	
F1B 50-16 M			SureShot 5020		Duotak 110 50F	
					TG50	

### Finishing - Material

Iron galvanized  
Stainless steel

### Other brand names

- Prebena D - Prebena P  
- Senco 5 - Sneco F  
- BeA95 - Fasco 50  
- Holzher A - Haubold 900  
- Bostitch SB5019

## [ Staple 90 ]

## Staples

### Application - Staple 90

Our staple number 90 is a very popular staple with a small crown width. This staple is frequently used in the construction and in the wood processing industry. It is most suitable for fastening wooden panels, boards, plates but also drywall. Also used for the production of toys and furniture.

### Dimensions

Crown width: 5.7 mm  
Wire strength: 1.05 mm  
Wire width: 1.25 mm  
Inner width: 3.5 mm  
Leg length: 12-40 mm

### Which staplers fit this staple?

Fasco	Prebena	Senco	Holzher	BeA	DuoFast	Diverse
Pneumatic stapler	Pneumatic tacker	Pneumatic nailer	Pneumatic stapler	Pneumatic tacker	Pneumatic stapler	Pneumatic tacker
F2B 90-40	3M - E50PR	Senco SLS 18	Holzher 3409	BeA 90/25-552	SureShot 1832	ACE 90/32
F2B 90-40 Combi		Senco SLS 20XP	Holzher 2750	BeA 90/32-611	SureShot 1832ST	ACE 90/40
F21P 90-40		Cordless 18	Holzher 3411	BeA 90/40-621	SureShot 1848	MEK 90/25
F26AT 90-40		Senco SKS XP	Holzher 3412	BeA 90/40-711	SureShot 1848F	MEK 90/25 Combi
F3C 90-40		Finish Pro 2in1	Holzher 3760		SureShot 1848 SL	
F2B 90-40/GN			Holzher 3421			

### Material

Iron galvanized, with resin coating  
Stainless steel, with resin coating  
Aluminium

### Other brands

- Staple Atro 90 - BeA 90
- Staple Senco L - N4450
- Staple Prebena E - Kihlberg 781
- Staple Haubold 6000 - DuoFast 1800
- Staple Spotnails 4800 - Holzher C

## [ Staple 92 ]

## Staples

### Applications - Staple 92

The staple 92 is a popular staple for manufacturing wooden crates and fastening wooden shingles and clapboards. This staple is extremely versatile and is used for various other application like insulatin works, fastening wooden boards and production of furniture.

### Dimensions

Crown width: 8.9 mm  
Wire strength: 1.00 mm  
Wire width: 1.25 mm  
Inner width: 6.9 mm  
Leg length: 8 - 40 mm

### Which staplers fit this staple?

Fasco	Spotnails	Kihlberg	Holzher	BeA	DuoFast	Haubold
Pneumatic stapler	Pneumatic fastener	Pneumatic tacker	Pneumatic fastener	Pneumatic tacker	Pneumatic fastener	Pneumatic fastener
F21T 92-25A	7805PG -50M	JK30-6647		BeA 92/25-553		
F26AT 92-40	7806PG-50M			BeA 92/32-632C		
F3C 92-40				BeA 92/40-722		

### Material

Iron galvanized, with resin coating  
Stainless steel, with resin coating

### Other brands

- Staple Fasco 92 - BeA 92 - Atro 92
- Staple Holzher E
- Staple Bostitch S15035
- Staple Prebena H
- Staple Kihlberg 664
- Staple Spotnails 58

## [ Staple 7C - 71 ]

## Staples

### Application staple 7C

Our staple 7C - 71 is a tiny staple for the packaging and for the wood processing industry. This staple is extremely versatile and so are its applications.

### Dimensions

Crown width: 9.0 mm  
Wire strength: 0.60 mm  
Wire width: 0.75 mm  
Inner width: 7.8 mm  
Leg length: 6-16 mm

### Which staplers fit this staple?

Fasco	Prebena	Senco	Kihlberg	BeA	Haubold	Stanley - Bostitch
Pneumatic stapler	Pneumatic tacker	Pneumatic fastener	Pneumatic stapler	Pneumatic tacker	Pneumatic stapler	Pneumatic fastener
F1B 7C-16	1M-V16	Senco SFW08	JK10-670	BeA 71/16-421	PN 7114 J	416 SIC-53G-7/16
F1B 7C-16 LN		Senco SFW10XP	JK20-670	BeA 71/16-436LN	PN 7114 J_LM	21671B-LN-E
F1B 7C-16 Aut		Senco SFT10	JK20A-670	BeA 71/14-451	PN 7114 J/A	21671B-E
F1B 7C-16 M			JK20A-670L		PN 7114 J/A-LM	2671B-A-E

### Material

Iron galvanized  
Stainless steel

### Other brands

- Staple BeA 71 - Fasco 7C - Atro 72 (7)
- Staple Bostitch 7186 - BA71 - 72
- Staple Prebena V - Senco C - Senco 3G
- Staple Haubold 7100 - Kihlberg 670

## [ Staple SG - G - M ]

## Staples

### Application staple SG

Die Heftklammer SG ist eine robuste Heftklammer für unterschiedlichste Anwendungen. Diese Heftklammer wird besonders für Zierleisten, Schränke, Möbelrückwände, Schubladenbau aber auch für Verpackungen und den Kistenbau verwendet.

### Dimensions

Crown width: 10.1 mm  
Wire strength: 1.00 mm  
Wire width: 1.25 mm  
Inner width: 8.1 mm  
Leg length: 10-38 mm

### Which staplers fit this staple?

Fasco	Senco	Kihlberg	Holzher	BeA	Spotnails	Haubold
Pneumatic tacker	Pneumatic stapler	Pneumatic fastener	Pneumatic stapler	Pneumatic fastener	Pneumatic stapler	Pneumatic fastener
F21T SG-25	Senco SLS 20XP	JK30-782			5803PG-50	
	Senco SLS 25XP					
	Senco SKS XP					
	Cordless 18					

### Material

Iron galvanized, with resin coating  
Stainless steel, with resin coating

### Other brands

- Staple Prebena G
- Staple Senco M
- Staple Senco G/4450
- Staple Fasco SG
- Staple Kihlberg 782

## [ Staple G/KG ]

## Staples

### Application staple G/KG

The staple "G" is a robust staple which is used mainly in the construction industry. This staple is frequently used to fasten gypsum cardboard and roof constructions.

### Dimensions

Crown width: 11.6 mm  
Wire strength: 1.40 mm  
Wire width: 1.60 mm  
Inner width: 8.8 mm  
Leg length: 16-64 mm

### Which staplers fit this staple?

Fasco	Senco	Kihlberg	Holzher	BeA	Prebena	Spotnails
Pneumatic fastener	Pneumatic tacker	Pneumatic fastener	Pneumatic stapler	Pneumatic fastener	Pneumatic stapler	Pneumatic fastener
F44C G-50	Senco SKS XP	JK45-783	3414-3419	BeA 14/32-613	5X-L50	XS6650
	SNS 41	JK45-783S	3425-3426		5C-ZT67 Combi	MS6650
	SNS 44XP		3431-3433			XS6650LM
	SNS 45XP		3462			MS6650iLM
	SNS 50XP					

### Material

Iron galvanized with resin coating  
Stainless steel with resin coating  
Iron galvanized with resin coating and construction approval  
Stainless steel with resin coating and construction approval

### Other brands

- Staple BeA 14 - BeA 155 - Atro 100
- Staple Prebena L - Senco N - Senco G5562
- Staple Bostitch S5 - B100 - Spotnails 66
- Staple Holzher G - Kihlberg 783

## [ Staple Q / SQ ]

## Staples

### Application staple Q

The staple "Q" is a robust staple which is used mainly in the construction industry. This staple is frequently used to fasten gypsum cardboard and roof constructions. This staple is also suitable for manufacturing pallets and wooden crates.

### Dimensions

Crown width: 11.3 mm  
Wire strength: 1.70 mm  
Wire width: 1.90 mm  
Inner width: 7.8 mm  
Leg length: 38-63 mm

### Which staplers fit this staple?

Fasco	Senco	Prebena	DuoFast	BeA	Diverse	
Pneumatic stapler	Pneumatic fastener	Pneumatic tacker	Pneumatic fastener	Pneumatic tacker	Pneumatic fastener	
F45C SQ-55	SQS55XP	5C-Q67	SW1748	BeA 180/65-835	ACE TSN-50	
	SQKG 65			BeA 180/80-195	ACE TSN-64	
	Tjep PQZ-64					

### Material

Iron galvanized with resin coating  
Iron galvanized with resin coating and construction approval  
Stainless steel with resin coating and construction approval

### Other brands

- Staple BeA 180 - Atro 18NC - Fasco SQ
- Staple Prebena Q - Q 6774
- Staple Senco Q - Q6774
- Staple Spotnails 6500 - 75 - DuoFast
- Staple Spotnails 75
- Staple DuoFast 1500

## [ Staple 97B ]

## Staples

### Application staple 97B

The staple 97B is a versatile staple with small crown width. This staple is available in various lengths from 6 to 30 mm. Frequently used for upholstery and manufacturing of small crates. Also popular for floorer.

### Dimensions

Crown width: 4.6 mm  
Wire strength: 0.70 mm  
Wire width: 0.90 mm  
Inner width: 3.2 mm  
Leg length: 6-30 mm

### Which staplers fit this staple?

Fasco	Senco	Prebena	Kihlberg	BeA		
Pneumatic stapler	Pneumatic tacker	Pneumatic fastener	Pneumatic stapler	Pneumatic tacker		
F1B 97B-19		1M-025SDS-S10	JK20-690	BeA 97/16-407		
F1B 97B-25			JK24-690	BeA 97/25-550		

### Material

Iron galvanized with resin coating

### Other brands

- Staple Prebena O - BeA 97
- Staple Fasco 97B - Senco W
- Staple Kihlberg 690 - Spotnails 21

## [ Staple B7 ]

## Staples

### Application staple B7

The staple B7 is a robust staple frequently used in the packaging and furniture industry. Also popular in the wood processing industry.

### Dimensions

Crown width: 11.3 mm  
Wire strength: 1.40 mm  
Wire width: 1.60 mm  
Inner width: 8.5 mm  
Leg length: 14-64 mm

### Which staplers fit this staple?

Fasco	Senco	Prebena	Holzher	BeA		
Pneumatic stapler	Pneumatic tacker	Pneumatic fastener	Pneumatic tacker	Pneumatic fastener		
F45C B7-55		5X-Z50				
		5G-ZT67 Combi				
		4C-Z50				
		5G-ZT67				

### Material

Iron galvanized with resin coating  
Iron galvanized with resin coating and construction approval  
Stainless steel with resin coating and construction approval

### Other brands

- Staple Prebena Z
- Staple FASCO B7
- Staple Haubold KG700
- Staple Holzher 3414
- Staple Holzher G



## [ Staple ATW ]

## Staples

### Application staple ATW

The staple ATW is a robust staple frequently used in the furniture and wood processing industry. Also suitable for pallets and crates. Fastening of insulation and foils.

### Dimensions

Crown width: 25.0 mm  
Wire strength: 1.40 mm  
Wire width: 1.60 mm  
Inner width: 22.2 mm  
Leg length: 14-50 mm

### Which staplers fit this staple?

Fasco	Senco	Prebena	Bostitch	BeA		
Pneumatic stapler	Pneumatic tacker	Pneumatic stapler	Pneumatic fastener	Pneumatic tacker		
			ESD-450S2P	BeA 140/38-153		
			438S2-1			
			438S2R-1			
			450S2-1			

### Material

Iron galvanized with resin coating

### Other brands

- Staple Prebena WC
- Staple FASCO ATW
- Staple Atro 16WC
- Staple Bostitch S2
- Staple BeA 140

## [ Staple SNW ]

## Staples

### Application staple SNW

The staple SNW is suitable for heavy applications in the wood processing, construction and furniture industry. Also frequently used for pallet and crate production.

### Dimensions

Crown width: 26.4 mm  
Wire strength: 1.40 mm  
Wire width: 1.60 mm  
Inner width: 23.6 mm  
Leg length: 22-50 mm

### Which staplers fit this staple?

Fasco	Senco	Prebena	Kihlberg	BeA		
Pneumatic stapler	Pneumatic fastener	Pneumatic tacker	Pneumatic fastener	Pneumatic tacker		
F3C SNW-38	PW150	5X-WS38	JK41-784			
F3C SNW-38 Roof	PW200					

### Material

Iron galvanized with resin coating

### Other brands

- Staple Prebena WS
- Staple FASCO SNW
- Staple DuoFast 1700
- Staple Kihlberg 784
- Staple Senco P
- Staple Senco W5562

## [ Heftklammer 4000 ]

### Application staple SNW

The staple 4000 has a small crown width and is very popular in the furniture industry but also for interior work. Also very suitable for fence production and for fastening wooden boards, planes, frames and wood casing.

### Dimensions

Crown width: 4.9 mm  
Wire strength: 0.70 mm  
Wire width: 0.90 mm  
Inner width: 3.5 mm  
Leg length: 8-25 mm

### Which staplers fit this staple?

Fasco	Senco	Prebena	Haubold	BeA		
Pneumatic stapler	Pneumatic tacker	Pneumatic fastener	Pneumatic stapler	Pneumatic tacker		
F1B 4000-16			PN 4025 JN			
F21P 4000-25						

### Material

Iron galvanized  
Iron galvanized with resin coating

### Other brands

- Staple Prebena TB
- Staple Senco W
- Staple FASCO 4000
- Staple Haubold 4000
- Staple Atro 40
- Staple Atro 93

## [ Heftklammer Holzher 3430 ]

Staples

### Application staple 3430

The staple 3430 is a very popular in the packaging industry to fasten cardboard on wooden pallets.

### Dimensions

Crown width: 20.5 mm  
Wire strength: 1.00 mm  
Wire width: 2.50 mm  
Inner width: 18.5 mm  
Leg length: 12-41 mm

### Which staplers fit this staple?

Holzher Flachklammernagler 3430

### Article numbers

- E 34012 - Heftklammer 3430/12
- E 34016 - Heftklammer 3430/16
- E 34019 - Heftklammer 3430/19
- E 34025 - Heftklammer 3430/25
- E 34032 - Heftklammer 3430/32
- E 34041 - Heftklammer 3430/41

### Other brands

- Holzher F

## [ Carton staple B - JK 560 ]

## Carton staples

### Applications

The carton staple B or JK-560 is a packaging staple to close cardboard boxes, cardboard lids, corrugated boards and corrugated boxes. This carton staple is even more popular than the staple JK-561. Due to the bigger crown width of 35 mm, this staple fastens cardboard lids even more secure.

This staple is a real bestseller packaging applications in all areas of the industry.

### Dimensions

Crown width: 35.0 mm  
Wire strength: 0.90 mm  
Wire width: 2.30 mm  
Inner width: 32.9 mm  
Leg length: 15-22 mm



### Which stapler does fit our staple?

Margreiter	Kihlberg	Senco	Prebena	BeA	Atro	Regur
Robox BH 19-35	JK-560	Helpa BA	KTB 19D	AT-A18 Luft	ABA 34	Regur KP18
Robox BA 19-35	JK 560PN	Helpa BH	KTB 19H	ATA 22 Luft	ABA 58	Regur KP18L
Robox BA 19-22	Mepa 18	Roama 22		MT-A18 Hand	ABA 78	
	Mepa 18P			MTA 22 Hand	BAA	
	Mepa 22			Packfix Hand	FBA	
	Mepa 22P			Packfix Luft	HBA 34	
	F-15-B-19H				HBA 58	
	F-15-B-19D				TS41202	
	Top SPEH				TS 5413002	

### Material

- iron copper-plated

### Other brands

- B 3/4 A
- B 5/8 A
- B 7/8 A
- JK 560-15 (Kihlberg)
- JK 560-18 (Kihlberg)
- JK 560 (Blue) (Kihlberg)
- Kartonklammer 5/8"
- Kartonklammer 3/4"
- Kartonklammer 7/8"
- Kartonklammer Nr. 35 (Atro)
- Kartonklammer B (Prebena)
- Kartonklammer Blue (Prebena)
- Packfix A (Bea)
- Senco XB
- SHD Blue (Haubold)
- BL (Haubold)

### Article number

- E 13141 - carton staple B 5/8 " - JK 560/15
- E 13142 - carton staple B 3/4 " - JK 560/18
- E 13143 - carton staple B 7/8 - JK 560/21

### Packaging unit

1 Box = 2.000 staples (JK 560/15 - 21)  
1 Packaging unit = 10 Boxen  
(=20.000 staples)

## [ Carton staple A - JK 561 ]

## Carton staple

### Applications

Our carton staple or also called box closing staple A (other brand name: JK-561) is a lid fastener staple for the packaging industry. This staple fits most top staplers of various manufacturerers using 32 mm crown width staples.

### Dimensions

Crown width: 32.0 mm  
Wire strength: 0.90 mm  
Wire width: 1.90 mm  
Inner width: 30.1 mm  
Leg length: 15-22 mm



### Which stapler does fit our staple?

Margreiter	Kihlberg	Stanley - Bostitch	Atro			
Robox AH 19-32	JK 561M	Hand Boxer C	ABC 34			
Robox AA 19-32	JK 561PN	HB - C	ABC 35			
Robox AA 22-32	JK B 561	Air Boxer C	AC			
	JK B 561 PN	AB - C	FBC			
	JK F 561		HBC 34			
	JK 561 PN		HBC 58			
			TS42202			
			TS 42302			

### Material

- iron copper-plated

### Other brands

- A 3/4 A
- A 5/8 A
- A 7/8 A
- JK 561-15 (Kihlberg)
- JK 561-18 (Kihlberg)
- JK 561 (Red) (Kihlberg)
- Kartonklammer 5/8"
- Kartonklammer 3/4"
- Kartonklammer 7/8"
- Kartonklamer C (Stanley - Bostitch)
- Kartonklammer Nr. 32 (Atro)
- Kartonklammer Nr. 32 (Ortner)
- Kartonklammer R (Prebena)
- Kartonklammer Red (Prebena)
- Typ 32 (FixFast)

### Article number

- E 23057 - carton staple A 5/8 " - JK 561/15
- E 23058 - carton staple A 3/4 " - JK 561/18
- E 23059 - carton staple A 7/8 - JK 561/21

### Packaging unit

1 Box = 2.000 Staples (JK 561/15 - 21)  
1 Packaging unit = 10 Boxen  
(=20.000 Staples)

# [ Staple AR-1 - JK 557 ]

Carton staple

## Einsatzbereiche

The carton closing staple JK-557 (AR-1, GR) is a staple for intensive use. These staples are used in carton closing staples for durable and efficient usage. 1000 staples on one single roll.

## Dimensions

Crown width: 35.0 mm  
 Wire strength: 0.90 mm  
 Wire width: 2.30 mm  
 Inner width: 32.1 mm  
 Leg length: 15-22 mm



## Welches Gerät passt zur Heftklammer?

Margreiter	Kihlberg	Stanley - Bostitch	Fasco	Diverse		
Robox AR-1	R557 PN	RAB 19E	FA GR15-18	RAB 3/4"		
		RAB 22E		Mero 3/4"		
				Mero 5/8"		

## Material

- verkupfert

## Other brands

- JK 557-15 (Kihlberg)
- JK 557-18 (Kihlberg)
- Carton closing staple AR1 (Bostitch)
- Carton closing staple GR (Atro)
- Carton closing staple AR (Atro)
- Carton closing staple AR (BeA)
- Carton closing staple GR

## Article number

- E 55715 Carton closing staple JK-557-15 - GR/15
- E 55718 Carton closing staple JK-557-18 - GR/18
- E 55722 Carton closing staple JK-557-22 - GR/22

## Packaging unit

- 1 Roll = 1.000 Staples
- 1 Box = 24 Rolls
- (=24.000 Staples)



## [ Staple Nr. 33 ]

## Staples

### Applications

Our textile staple 33 is an extra-fine wire staple for textiles and fibers. This staple is designed to fasten labels on various fibers and to damage the material as little as possible. Our textile staple 33 can be used in our stapling plier 33 and its pneumatically operated model 33/L.

### Dimensions

Crown width: 10.7 mm  
 Wire strength: 0.30 mm  
 Wire width: 0.40 mm  
 Inner width: 10.0 mm  
 Leg length: 6-8 mm

### Which stapler does fit our staple?

#### Rapid - Elastic


Stapling plier Nr. 33  
 Stapling plier Nr. 33L  
 TEX 33  
 TEX 33L

#### SITEX

Sitex 33

#### Novus Tacker

k.A.



### Article number

- E 33006 staple 33/6 galvanised
- E 33008 staple 33/8 galvanised
- Other finishings: on request

### Packaging unit

1 Box = 20.000 Staples (33/6 - 8)

### Material

- Iron galvanised
- High-grade steel
- Other finishings: on request

### Brands and manufacturer

- Sitex 33

## [ Staple Nr. 43 ]

### Applications

The staple No. 43 is an extra-fine wire staple for our most popular stapling plier K1 textile. This staple is designed to fasten labels on various fibers and to damage the material as little as possible.

### Dimensions

Crown width: 10.8 mm  
 Wire strength: 0.30 mm  
 Wire width: 0.40 mm  
 Inner width: 10.2 mm  
 Leg length: 6-8 mm

### Which stapler does fit our staple?

#### Rapid - Elastic

Stapling plier K1-Textil  
 Stapling plier K1-Tx  
 Stapling plier 33  
 Stapling plier 33/L

### Article number

- E 43006 staple 43/6 galvanised
- E 43008 staple 43/8 galvanised
- Other finishings: on request

### Packaging unit

1 Box = 10.000 staples (43/6 - 8)  
 1 Packaging unit = 50 Boxes  
 (=500.000 Staples)

### Material

- iron galvanised
- other finishings: on request

## [ Staple Nr. 63 ]

## Staples

### Applications staple 63

Our staple Nr. 63 is used mostly in the textile industry.

### Dimensions

Crown width: 11.3 mm  
 Wire strength: 0.40 mm  
 Wire width: 0.60 mm  
 Inner width: 10.3 mm  
 Leg length: 6-10 mm



### Which stapler does fit our staple?

#### Rapid - Elastic

Stapling plier Nr. 63  
 Stapling plier Nr. 63L

#### Novus Tacker

k.A.

### Article number

E 70807 Staple 63/6 galvanised  
 E 70831 Staple 63/8 galvanised  
 E 70832 Staple 63/10 galvanise  
 Other finishings: on request

### Packaging unit

1 Box = 5.000 staples (63/6 - 10)  
 1 Wholesale packaging = 50 boxes  
 (=250.000 staples)

### Material

- Iron galvanised  
 - Other finishings: on request

### Brands and manufacturer

- k.A.

## [ Staple ELJU ]

### Application - staple Elju

The staple ELJU is used primarily in the food and the food packagin industry. The corresponding stapler Elju is made of stainless steel, therefore, this plier is most suitable for any applications in contact with food as it can be washed in a standard dishwasher.

However, other typical applications are found in supermarkets and hypermarkets and in the chemical industry.

### Dimensions

Crown width: 10.1 mm  
 Wire strength: 0.50 mm  
 Wire width: 0.70 mm  
 Inner width: 9.0 mm  
 Leg length: 5-7 mm

### Article number

- E 70513 staple ELJU 5 galvanised  
 - E 70530 staple ELJU 6 galvanised  
 - E 70564 staple ELJU 7 galvanised  
 - Other finishings: on request

### Packaging unit

1 Box = 5.000 staples (ELJU/5 - 7)  
 1 Wholesale packaging = 50 Boxes  
 (=250.000 staples)

### Which stapler does fit our staple?

#### Rapid - Elastic

Stapling plier ELJU

### Material

- iron galvanised  
 - other finishings: on request

## [ Staple Juwel - 21/4 ]

## Staples

### Applications - Staple Juwel

The office staple "Juwel" is one of the most popular office staples in Austria and Germany. The staples have only a very small crown depth and a leg length of 4 mm. Therefore, these staples are primarily used for small stacks of paper for a space-saving fastening for folders.

### Dimensions

Crown width: 7.0 mm  
 Wire strength: 0.40 mm  
 Wire width: 0.80 mm  
 Inner width: 6.0 mm  
 Leg length: 4 mm


### Which stapler does fit our staple?

#### Rapid - Elastic

Stapling plier Juwel  
 Stapling plier Juwel 2000  
 Stapling plier S51  
 Stapling plier Regur 64

#### Novus Tacker

k.A.



### Article number

- E 70009 staple Juwel galvanised
- E 70076 staple Juwel German silver
- Other finishings: on inquiry

### Packaging unit

1 box = 2000 staples  
 1 Wholesale packaging =  
 50 boxes (100,000 staples)

### Material

- Iron galvanised
- Aluminium
- German silver
- V2A high-grade steel
- Other finishings: on inquiry

### Other brand

- Staple Nr. 21 (Rapid)

## [ Staple Juwelette ]

### Applications - Staple Juwelette

This extra-fine wire staple is very suitable for fastening small stacks of paper with an extra slim staple. This staple is even more space-saving than the staple Juwel.

### Dimensions

Crown width: 7.0 mm  
 Wire strength: 0.30 mm  
 Wire width: 0.40 mm  
 Inner width: 6.2 mm  
 Leg length: 4 mm

### Which stapler does fit our staple?

#### Rapid - Elastic

Stapling plier Juwelette

### Article number

E 70203 Staple Juwelette nk

### Packaging unit

1 box = 4000 staples  
 1 Wholesale packaging = 50 boxes (200,000 staples)

### Material

- iron galvanised

## [ Staple Nr. 24 ]

## Staples

### Applications Staple 24

The office staple No. 24 is the office staple par excellence and is used in nearly every office. The standard staple 24/6 is surely the most sold staple world wide. Beside the most common name 24, this staple is also known as staple 44, especially when used with electric stapling machines.

In our range, we only sell these staples in boxes with 5000 staples.

### Dimensions

Crown width: 12.8 mm  
 Wire strength: 0.50 mm  
 Wire width: 0.70 mm  
 Inner width: 11.8 mm  
 Leg length: 6-8 mm

### Which stapler does fit our staple?

#### Rapid - Elastic (u.a.)

Stapling plier Nr. 24  
 Stapling plier K1 - Stapling plier Classic 1  
 Electric stapler Rapid 90  
 Electric stapler Rapid 100

### Material

- Iron galvanised
- Iron copper-plates
- Steel
- Other finishings: on request



### Article number

- E 24006 CNK staple 24/6 galvanised
- E 24006 VK staple 24/6 vk (copper-plates)
- E 24008 ST staple 24/8 steel
- Other finishings: on request

### Packaging unit

1 box = 5000 staples 24/6 galvanised  
 1 Wholesale packaging = 50 boxes  
 (250,000 staples)

### Other brands

- Staple Nr. 44 (Rapid)

## [ Staple Nr. 66 ]

### Application - Staple 66

The staple No. 26 or No. 66 is an extremely popular office staple and is used primarily with electric stapling machines. In a special execution the staple is available as loop staple 66/6R for saddle stapling. Thus prospectuses or brochures and catalogues can be finished in copy shop quality.

### Dimensions

Crown width: 12.8 mm  
 Wire strength: 0.40 mm  
 Wire width: 0.50 mm  
 Inner width: 11.9 mm  
 Leg length: 6-8 mm

### Which stapler does fit our staple?

**Rapid - Elastic (u.a.)**  
 Electric stapler Nr. 100

Electric stapler Nr. 105  
 Electric stapler Nr. 106

### Article number

- E 40800 staple No. 66/6 galvanised
- E 40820 staple No. 66/7 galvanised
- E 62200 staple No. 66/8 galvanised
- E 40850 staple No. 66/6R loop staple
- E 10501 staple No. 26/6 galvanised
- E 16800 staple No. 26/8 galvanised
- Other executions: on request

### Packaging unit

1 box = 5000 staples  
 1 Wholesale packaging = 50 boxes (250,000 staples)

### Material

- Iron galvanised
- Iron copper-plates
- Steel
- Other finishings: on inquiry

### Other brands

- Staple Nr. 26

## [ Staple ELJIF ]

### Applications

The staple ELJIF is a strong and robust staple for closing and fastening bags. This staple is used primarily for the shipment of books in publishing companies, where a secure closing of the parcels is essential and requested. The staple "ELJIF" was not available for about two years, we are glad to be able to offer you this staple again in familiar top grade.


### Dimensions

Crown width: 12.0 mm  
Wire strength: 0.50 mm  
Wire width: 3.40 mm  
Inner width: 11.1 mm  
Leg length: 16 mm

### Which stapler does fit our staple?

Top carton stapler ELJIF  
Electric top carton stapler ELJIF

## Staples



### Article number

E 72001 Staple ELJIF galvanised

### Packaging unit

1 Box = 2.000 staples Eljif  
1 Wholesale box = 10 Boxes  
(=20.000 staples)

### Material

- Iron galvanised

## [ Staple Clipper 700 ]

### Application - Staple ACE Clipper 700


The staple "ACE Clipper 700" is a very popular staple in the textile and food industry.

### Dimensions

Crown width: 12.4 mm  
Wire strength: 0.50 mm  
Wire width: 0.50 mm  
Inner width: 11.9 mm  
Leg length: 6 mm

### Which stapler does fit our staple?

Stapling plier ACE Clipper



### Article number

E ACE700 - Staple ACE Clipper 700

### Packaging unit

1 Box = 5.000 Staples

### Material

- Iron galvanised





## [ Pins A64 ]

## Pins and brads

### Application Pin A64

Our pins A64 are extremely thin pins for blind fastening. These pins are available from 10 - 50 mm length.

### Dimensions



### Which stapler does fit our staple?

#### Prebena:

Pinner 1M-AL20

#### Holz-Her (Holzher)

Pinner Holz-Her 3485

Pinner Holz-Her 3716

#### Senco - AerFast

Pinner Finish Pro 10

#### Bostitch

Pinner TU-216-2330E

#### Kihlberg

-

#### FASCO:

Pinner FASCO F1B A64

Pinner F23C A64-35

Pinner F23C A64-50

#### Duo-Fast

-

#### Haubold:

Pinner SN 618 F/06

#### BeA

-

#### Diverse:

Pinner ACE-TSN-50

Pinner ACE-TSN-46

#### SpotNails

-

### Article number

E A6410 - Pins A64/10

E A6412 - Pins A64/12

E A6415 - Pins A64/15

E A6418 - Pins A64/18

E A6420 - Pins A64/20

E A6425 - Pins A64/25

E A6430 - Pins A64/30

E A6440 - Pins A64/40

E A6450 - Pins A64/50

### Other brands

- Pins Prebena AL

- Pins Senco SZ

- Pins Bostitch 106

- Pins Holzher 0.65

- Pins BeA S710-717

- Pins Haubold ST 06



## [ Brads GN ]

## Brads - T-Nails

### Application - Brads GN

Our brands GN are thin T-nails with a wire size of 1.0 x 1.2 mm. These brads are very popular for upholstery, interior and furniture works. In the range of almost all large brands.

### Dimensions



### Which stapler does fit our staple?

#### Prebena:

Bradder PKT-2-J50SD  
 Bradder Prebena 2XR-J50  
 Bradder 2P-J50SVN  
 Bradder 2P-J50SDS  
 Bradder 2P-J/ES40 Combi  
 Bradder 2X-J50SD  
 Bradder PKT-2-J50SVN  
 Bradder PKT-2-J50-S

#### Holz-Her (Holzher)

Bradder Holz-her 3719  
 Bradder Holz-Her 3443  
 Bradder Holz-Her 3483  
 Bradder Holz-Her 3486  
 Bradder Holz-Her 3703  
 Bradder Holz-Her 3704  
 Bradder Holz-Her 3719  
 Bradder Holz-Her 3720  
 Bradder BN 1832  
 Bradder BN 1850  
 Bradder BN 1840

#### Senco - AerFast

Bradder Finish Pro 2in1  
 Bradder Finish Pro 15  
 Bradder SLP20XP  
 Bradder Finish Pro 18  
 Bradder Finish Pro 25XP  
 Bradder Cordless 25

#### FASCO:

Bradder Fasco F21P GN  
 Bradder Fasco F21P GN-40  
 Bradder Fasco F21P 90/GN-40  
 Bradder F26AC GN-50

#### Duo-Fast

k.A.

#### Haubold:

Bradder SKN 40 L-I/12  
 Bradder SKN 50 L-I/12

#### BeA

Bradder BeA SK355 - 212  
 Bradder BeA SK350 - 224  
 Bradder BeA SK338 - 616  
 Bradder BeA SK335 - 201  
 Bradder BeA SK325 - 521

#### Bostitch

Bradder SBBTG40-2

#### Kihlberg

k.A.

### Article number

E GN015 - Brads GN/15  
 E GN020 - Brads GN/20  
 E GN025 - Brads GN/25  
 E GN030 - Brads GN/30  
 E GN035 - Brads GN/35  
 E GN040 - Brads GN/40  
 E GN045 - Brads GN/45  
 E GN050 - Brads GN/50

### Other brands

- Brads Prebena J
- Brads BeA SK300
- Brads Bostitch BT13
- Brads DuoFast 44
- Brads Haubold SKN 12
- Brads Holzher 1,0 x 1,25
- Brads Kihlberg 512
- Brads Novus E
- Brads Omer - Brads 12
- Brads Paslode F18 Stifte mit Kopf
- Brads Powerfix MB
- Brads Rapid 8/300
- Brads Senco AX 13
- Brads Würth WX
- Brads Lux 85-87
- Brads KWB 048/055
- Brads Bosch 47/48



## [ Bradder FN ]

## Brads - T-Nails

### Applications - Brands FN

Our brads "FN" are strong brads for furniture, upholstery and interior works. Also suitable for heavier applications.

### Dimensions



### Which stapler does fit our staple?

#### Prebena:

Bradder 3C-N65  
 Bradder PKT-2-N65-S

#### Holz-Her (Holzher)

Bradder Holz-Her 3487

#### Senco - AerFast

k.A.

#### Kihlberg

k.A.

#### FASCO:

Bradder F26AC FN-50  
 Bradder F3C FN-50  
 Bradder F45C FNDF-70

#### Duo-Fast

k.A.

#### Haubold:

Bradder SKN 64A / 16  
 Bradder SKN 64A / 20

#### BeA

Bradder BeA SK451 - 717  
 Bradder BeA SK464 - 343C  
 Bradder BeA SK445 - 618

#### Bostitch

Bradder SBSB-16250K-2-E

### Article numbers

E FN015 - Brads FN/15  
 E FN020 - Brads FN/20  
 E FN025 - Brads FN/25  
 E FN030 - Brads FN/30  
 E FN035 - Brads FN/35  
 E FN040 - Brads FN/40  
 E FN045 - Brads FN/45  
 E FN050 - Brads FN/50  
 E FN055 - Brads FN/55  
 E FN060 - Brads FN/60  
 E FN065 - Brads FN/65

### Other brands

- Brads Prebena N
- Brads BeA SK4
- Brads Bostitch SB16
- Brads DuoFast 7
- Brads Haubold SKN 16
- Brads Holzher 1,6
- Brads Kihlberg 516
- Brads Novus N
- Brads Omer - Brads 14
- Brads Paslode F16 Stifte mit Kopf
- Brads Rapid 16
- Brads Würth FN

## [ Summary ]

## Staples and fasteners

<b>Staple Jewel - Heftklammer Nr. 21</b>			
Art.Nr.	Staples / box	Material	Length
E 70009	2000	Iron galvanized	4 mm
E 70076	2000	German silver	4 mm

<b>Staple Juwelette</b>			
Art.Nr.	Staples / box	Material	Length
E 70203	4000	Iron galvanized	4 mm

<b>Staple ELJU</b>			
Art.Nr.	Staples / box	Material	Length
E 70513	5000	Iron galvanized	5 mm
E 70556	5000	Iron galvanized	6 mm
E 70564	5000	Iron galvanized	7 mm

<b>Staple Nr. 53</b>			
Art.Nr.	Staples / box	Material	Length
E 53006 CNK	5000	Iron galvanized	6 mm
E 53008 CNK	5000	Iron galvanized	8 mm
E 53010 CNK	5000	Iron galvanized	10 mm
E 53006 ALU	5000	Aluminium	6 mm
E 53006 NS	5000	German silver	6 mm
E 53006 V2A	5000	Stainless steel	6 mm
E 53008 V2A	5000	Stainless steel	8 mm

Other qualities and sizes on request

<b>Staple SeCo A</b>			
Art.Nr.	Staples / box	Material	Length
E 71005	5000	Iron galvanized	6 mm
E 71013	5000	Iron galvanized	8 mm
E 71021	5000	Iron galvanized	10 mm
E 71030	5000	Iron galvanized	12 mm
E 71048	5000	Iron galvanized	16 mm

<b>Staple SeCo B</b>			
Art.Nr.	Staples / box	Material	Length
E 71102	5000	Iron galvanized	6 mm
E 71110	5000	Iron galvanized	8 mm
E 71129	5000	Iron galvanized	10 mm
E 71137	5000	Iron galvanized	12 mm
E 71145	5000	Iron galvanized	16 mm

<b>Staple Nr. 73</b>			
Art.Nr.	Staples / box	Material	Length
E 70904	5000	Iron galvanized	6 mm
E 70912	5000	Iron copper plated	6 mm
E 70920	5000	Iron galvanized	8 mm
E 70939	5000	Iron copper plated	8 mm
E 70947	5000	Iron galvanized	10 mm
E 80200	5000	Iron galvanized	12 mm

<b>Staple Nr. 33</b>			
Art.Nr.	Staples / box	Material	Length
E 71560	20000	Iron galvanized	6 mm
E 71579	20000	Iron galvanized	8 mm

<b>Staple Nr. 140 - Staple Nr. 11</b>			
Art.Nr.	Staples / box	Material	Length
E 14006 CNK	5000	Iron galvanized	6 mm
E 14008 CNK	5000	Iron galvanized	8 mm
E 14010 CNK	5000	Iron galvanized	10 mm
E 14012 CNK	5000	Iron galvanized	12 mm
E 14014 CNK	5000	Iron galvanized	14 mm

<b>Staple Nr. 13 - Staple Nr. 37</b>			
Art.Nr.	Staples / box	Material	Length
E 13006	5000	Iron galvanized	6 mm
E 13008	5000	Iron galvanized	8 mm
E 13010	5000	Iron galvanized	10 mm
E 13012	5000	Iron galvanized	12 mm
E 13014	5000	Iron galvanized	14 mm
E 13006 V2A	5000	Stainless steel	6 mm
E 13008 V2A	5000	Stainless steel	8 mm

<b>Staple ELJIF</b>			
Art.Nr.	Staples / box	Material	Length
E 72001	2000	Iron galvanized	16 mm

<b>Staple Nr. 24 - Staple Nr. 44</b>			
Art.Nr.	Staple / box	Material	Length
E 10601	5000	Iron galvanized	6 mm
E 06900	5000	Iron galvanized	8 mm
E 30900	5000	Iron galvanized	6 mm
E 30915	5000	Iron galvanized	7 mm
E 63000	5000	Iron galvanized	8 mm

<b>Staple Nr. 26 - Staple Nr. 66</b>			
Art.Nr.	Staple / box	Material	Length
E 40800	5000	Iron galvanized	6 mm
E 40820	5000	Iron galvanized	7 mm
E 62200	5000	Iron galvanized	8 mm
E 40850	5000	Iron galvanized	6 mm - Ring

<b>Carton staple B - 35 - 560</b>			
Art.Nr.	Staples / box	Material	Length
E 13141	2000	Copper plated	15 mm
E 13142	2000	Copper plated	18 mm
E 13143	2000	Copper plated	21 mm

<b>Carton staple A - 32 - 561</b>			
Art.Nr.	Staples / box	Material	Length
E 23057	2500	Copper plated	15 mm
E 23058	2500	Copper plated	18 mm
E 23059	2500	Copper plated	21 mm

<b>Carton staple GR - Ar1 - 557</b>			
Art.Nr.	Staples / roll	Material	Length
E AR158	1000	Copper plated	15 mm

## [ Summary ]

## Staples and fasteners

### Staple 80 - BeA 80 - Prebena A - Senco AT

Art.Nr.	Staples / box	Material	Length
E 80004	25.000	Iron galvanized	4 mm
E 80006	17.500	Iron galvanized	6 mm
E 80008	30.000	Iron galvanized	8 mm
E 80010	24.000	Iron galvanized	10 mm
E 80012	21.000	Iron galvanized	12 mm
E 80014	18.000	Iron galvanized	14 mm
E 80016	15.000	Iron galvanized	16 mm

### Staple 90 - BeA 90 - Prebena E - Senco L

Art.Nr.	Staples / box	Material	Length
E 90006	22.400	CNK hz (resin)	6 mm
E 90010	16.000	CNK hz (resin)	10 mm
E 90012	12.800	CNK hz (resin)	12 mm
E 90014	12.800	CNK hz (resin)	14 mm
E 90016	9.600	CNK hz (resin)	16 mm
E 90018	9.600	CNK hz (resin)	18 mm
E 90021	9.600	CNK hz (resin)	21 mm
E 90025	6.400	CNK hz (resin)	25 mm
E 90028	6.400	CNK hz (resin)	28 mm
E 90030	6.400	CNK hz (resin)	30 mm
E 90032	6.400	CNK hz (resin)	32 mm
E 90035	6.400	CNK hz (resin)	35 mm
E 90038	6.400	CNK hz (resin)	38 mm
E 90040	6.400	CNK hz (resin)	40 mm

### Staple 92 - BeA 92 - Prebena H

Art.Nr.	Staples / box	Material	Length
E 92008	13.200	CNK hz (resin)	8 mm
E 92010	12.000	CNK hz (resin)	10 mm
E 92012	8.800	CNK hz (resin)	12 mm
E 92014	8.800	CNK hz (resin)	14 mm
E 92016	13.200	CNK hz (resin)	16 mm
E 92018	13.200	CNK hz (resin)	18 mm
E 92021	11.000	CNK hz (resin)	21 mm
E 92025	8.800	CNK hz (resin)	25 mm
E 92028	8.800	CNK hz (resin)	28 mm
E 92030	8.800	CNK hz (resin)	30 mm
E 92032	6.600	CNK hz (resin)	32 mm
E 92035	6.600	CNK hz (resin)	35 mm
E 92038	6.600	CNK hz (resin)	38 mm
E 92040	6.600	CNK hz (resin)	40 mm

### Staple 50 - BeA 95 - Prebena D - Senco F

Art.Nr.	Staples / box	Material	Length
E 50008	10.080	Iron galvanized	8 mm
E 50010	8.400	Iron galvanized	10 mm
E 50012	13.440	Iron galvanized	12 mm
E 50014	10.080	Iron galvanized	14 mm
E 50016	8.400	Iron galvanized	16 mm

### Staple 7C - BeA 71 - Prebena V - Senco C

Art.Nr.	staples / box	Material	Length
E 7C006	29.390	Iron galvanized	6 mm
E 7C008	22.040	Iron galvanized	8 mm
E 7C010	18.370	Iron galvanized	10 mm
E 7C012	14.690	Iron galvanized	12 mm
E 7C014	14.690	Iron galvanized	14 mm
E 7C016	22.040	Iron galvanized	16 mm

### Staple 97B - BeA 97 - Prebena O - Senco W

Art.Nr.	Staples / box	Material	Length
E 97B06	16.000	Iron galvanized	6 mm
E 97B08	16.000	Iron galvanized	8 mm
E 97B10	12.000	Iron galvanized	10 mm
E 97B12	12.000	Iron galvanized	12 mm
E 97B14	12.000	Iron galvanized	14 mm
E 97B16	12.000	Iron galvanized	16 mm
E 97B19	8.000	Iron galvanized	19 mm
E 97B21	8.000	Iron galvanized	21 mm
E 97B25	8.000	Iron galvanized	25 mm

### Staple SG - Prebena G - Senco M

Art.Nr.	Staple / box	Material	Length
E SG016	12.000	CNK hz (resin)	16 mm
E SG019	10.000	CNK hz (resin)	19 mm
E SG021	10.000	CNK hz (resin)	21 mm
E SG025	8.000	CNK hz (resin)	25 mm
E SG028	8.000	CNK hz (resin)	28 mm
E SG030	8.000	CNK hz (resin)	30 mm
E SG032	6.000	CNK hz (resin)	32 mm
E SG035	6.000	CNK hz (resin)	35 mm

### Staple SQ - BeA 180 - Prebena Q - Senco Q

Art.Nr.	Staple / box	Material	Length
E SQ050	2.880	CNK hz (resin)	50 mm
E SQ060	2.880	CNK hz (resin)	60 mm
E SQ063	2.160	CNK hz (resin)	63 mm



[ Summary ]

Staples and fasteners

Staple G - Prebena L - Senco N - BeA 155			
Art.Nr.	Staple / box	Material	Length
E G0025	6.720	CNK hz (resin)	25 mm
E G0030	5.040	CNK hz (resin)	30 mm
E G0034	5.040	CNK hz (resin)	34 mm
E G0038	5.040	CNK hz (resin)	38 mm
E G0040	5.040	CNK hz (resin)	40 mm
E G0044	3.780	CNK hz (resin)	44 mm
E G0050	3.360	CNK hz (resin)	50 mm
E G0060	3.360	CNK hz (resin)	60 mm
E G0065	2.520	CNK hz (resin)	65 mm

Staple ATW - Prebena WC - BeA 140			
Art.Nr.	Staples / box	Material	Length
E ATW14	5.250	CNK Hz (resin)	14 mm
E ATW16	4.500	CNK Hz (resin)	16 mm
E ATW18	4.500	CNK Hz (resin)	18 mm
E ATW25	3.000	CNK Hz (resin)	25 mm
E ATW30	3.000	CNK Hz (resin)	30 mm
E ATW32	2.250	CNK Hz (resin)	32 mm
E ATW38	2.250	CNK Hz (resin)	38 mm

[ Summary ]

Staples and fasteners

Pins A64 - Prebena AL - Senco SZ - BeA S710			
Art.Nr.	Pins / box	Material	Length
E A6410	20.000	Iron galvanized	10 mm
E A6412	20.000	Iron galvanized	12 mm
E A6415	20.000	Iron galvanized	15 mm
E A6418	20.000	Iron galvanized	18 mm
E A6422	20.000	Iron galvanized	22 mm
E A6425	20.000	Iron galvanized	25 mm
E A6430	20.000	Iron galvanized	30 mm

Brads GN - Prebena J - Senco AX - BeA SK300			
Art.Nr.	Brads / box	Material	Length
E GN013	7.000	Iron galvanized	13 mm
E GN015	7.000	Iron galvanized	15 mm
E GN019	7.000	Iron galvanized	19 mm
E GN020	7.000	Iron galvanized	20 mm
E GN025	7.000	Iron galvanized	25 mm
E GN028	7.000	Iron galvanized	28 mm
E GN030	7.000	Iron galvanized	30 mm
E GN032	7.000	Iron galvanized	32 mm
E GN035	7.000	Iron galvanized	35 mm
E GN038	7.000	Iron galvanized	38 mm
E GN040	7.000	Iron galvanized	40 mm
E GN045	7.000	Iron galvanized	45 mm
E GN050	7.000	Iron galvanized	50 mm

Brads FN - Prebena N - BeA SK4			
Art.Nr.	Brads / box	Material	Length
E FN020	4.000	Iron galvanized	20 mm
E FN025	4.000	Iron galvanized	25 mm
E FN030	4.000	Iron galvanized	30 mm
E FN032	4.000	Iron galvanized	32 mm
E FN035	4.000	Iron galvanized	35 mm
E FN038	4.000	Iron galvanized	38 mm
E FN040	4.000	Iron galvanized	40 mm
E FN045	4.000	Iron galvanized	45 mm
E FN050	4.000	Iron galvanized	50 mm
E FN055	3.300	Iron galvanized	55 mm
E FN060	3.300	Iron galvanized	60 mm



## [ Staples Prebena ]

## Tackerklammern

Staple - Type	Crown width	Wire strength	Wire width	Inner width	Leg length	Prebena - Pneumatic stapler
Prebena A	12,70	0,65	0,95	11,20	6-18 mm	1 XR-A16, 1M-A16-S30, 1M-A16LN50
Prebena AB	12,60	0,60	0,75	11,30	4-16 mm	
Prebena AD	12,20	0,60	1,00	10,90	6-14 mm	
Prebena AW	13,50	1,00	1,25	11,30	12-40 mm	
Prebena B	35,00	0,90	2,30	32,90	15-22 mm	KTB19D, KTB19H
Prebena D	12,70	0,55	1,25	11,60	6-16 mm	1M-D16
Prebena DW	12,10	0,60	1,90	10,90	10-16 mm	
Prebena E	5,70	1,05	1,25	3,50	12-40 mm	3M-E50PR
Prebena EB	5,80	1,00	1,25	3,40	12-38 mm	
Prebena EF	5,30	1,00	1,25	3,10	12-38 mm	
Prebena EM	5,10	0,90	1,10	3,30	12-40 mm	
Prebena EN	5,00	0,60	1,15	3,65	16-25 mm	
Prebena ES	5,90	0,90	1,10	4,10	12-40 mm	2M-J/ES32DS, 2X-ES26SD, 2XR-ES40
Prebena G	10,10	1,00	1,25	8,10	10-38 mm	
Prebena GB	10,90	1,00	1,25	8,75	10-40 mm	
Prebena GS	13,00	1,35	1,60	10,00	19-63 mm	
Prebena H	8,90	1,00	1,25	6,90	8-40 mm	2P-H30SD, 3M-H40
Prebena HB	7,90	0,70	0,90	6,45	6-10 mm	
Prebena K	5,90	0,95	1,25	3,90	15-35 mm	
Prebena KG	9,40	1,34	1,65	6,50	15-25 mm	
Prebena L	11,60	1,40	1,60	8,80	16-64 mm	5C-ZT Combi, 5X-L50
Prebena LM	10,60	1,30	1,45	7,75	16-65 mm	
Prebena M	12,30	0,65	1,25	10,90	8-22 mm	
Prebena NT	13,00	0,55	0,75	11,75	4-14 mm	
Prebena O	4,60	0,70	0,90	3,20	6-30 mm	1M-O25SD
Prebena OB	4,30	0,60	0,75	3,00	10-14 mm	
Prebena P	12,75	0,50	1,25	11,60	6-14 mm	
Prebena PA	12,90	0,60	1,14	11,60	6-16 mm	
Prebena PB	11,30	0,50	1,25	10,10	6-12 mm	
Prebena PF	10,60	0,50	1,25	9,55	6-14 mm	
Prebena PM	12,85	0,60	0,75	11,60	4-12 mm	
Prebena PX	9,10	0,60	1,15	7,80	6-16 mm	
Prebena PZ	10,20	0,50	1,00	9,10	6-14 mm	
Prebena Q	11,30	1,70	1,90	7,80	38-63 mm	5C-Q67, 5G-Q67
Prebena R	32,00	0,90	1,90	30,10	15-22 mm	
Prebena S	12,30	1,35	1,60	9,35	22-64 mm	
Prebena TB	4,90	0,70	0,90	3,25	4-20 mm	
Prebena TK	4,00	0,60	0,75	2,50	6-16 mm	
Prebena TS	4,70	0,50	1,25	3,60	4-16 mm	
Prebena U	4,80	0,60	0,75	3,60	6-16 mm	
Prebena V	9,00	0,60	0,75	7,80	6-16 mm	1M-V16
Prebena VF	10,10	0,60	0,75	8,75	4-16 mm	
Prebena VX	11,30	0,50	0,75	10,10	4-14 mm	HTVX08
Prebena VZ	10,60	0,50	0,80	9,50	6-16 mm	HH VZ10, HP VZ08
Prebena W	25,00	1,40	1,60	22,00	15-38 mm	
Prebena WB	23,20	1,35	1,60	20,30	19-32 mm	
Prebena WD	25,80	1,35	1,60	22,90	16-75 mm	
Prebena WM	24,90	1,30	1,45	22,00	14-38 mm	